

## DISTRICT 43

### IMPERIAL COUNTY

#### DRINKING WATER MONITORING SCHEDULE

*THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH (CDPH) MONITORING SCHEDULES LIST REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, PAST DUE REQUIRED, AND WAIVED TESTING.*

*THIS INFORMATION IS VALID AS OF MAY 24, 2012.*

*UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.*

*THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:*

*(760) 336-8530*

*Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:*

*The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office*

*Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).*

*If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at [edt@cdph.ca.gov](mailto:edt@cdph.ca.gov) for further information. Changes in the monitoring notification documents will be seen in the next update.*

**System Number: 1300009**

**System Name: WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300009-001**

**Source Name: TREATMENT PLANT**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300009**

**System Name: WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300009-001**

**Source Name: TREATMENT PLANT**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300009

**System Name:** WINTERHAVEN COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300009-001

**Source Name:** TREATMENT PLANT

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300009

**System Name:** WINTERHAVEN COUNTY WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300009-001

**Source Name:** TREATMENT PLANT

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-001**

Source Name: **TREATMENT PLANT**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

PS Code: **1300009-002**

Source Name: **WELL 01**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

**DIAZINON**

39570 000

**DUE**

**INORGANIC**

**ALUMINUM**

01105 000

**DUE**

**ANTIMONY**

01097 000

**DUE**

**ARSENIC**

01002 000

**DUE**

ASBESTOS

81855 WAIVED

**BARIUM**

01007 000

**DUE**

**BERYLLIUM**

01012 000

**DUE**

**CADMIUM**

01027 000

**DUE**

**CHROMIUM (TOTAL)**

01034 000

**DUE**

**CYANIDE**

01291 000

**DUE**

**FLUORIDE (F) (NATURAL-SOURCE)**

00951 000

**DUE**

**LEAD**

01051 000

**DUE**

**MERCURY**

71900 000

**DUE**

**NICKEL**

01067 000

**DUE**

**PERCHLORATE**

A-031 000

**DUE**

**SELENIUM**

01147 000

**DUE**

**THALLIUM**

01059 000

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-002**

Source Name: **WELL 01**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>000</b>		<b>DUE</b>
<b>NITRITE (AS N)</b>	<b>00620</b>	<b>000</b>		<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>000</b>		<b>DUE</b>
GROSS BETA	<b>03501</b>	<b>WAIVED</b>		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	<b>A-080</b>	<b>WAIVED</b>		
RA-226 OR TOTAL RA BY 903.0 C.E.	<b>A-081</b>	<b>WAIVED</b>		
RADIUM 226	<b>09501</b>	<b>WAIVED</b>		
RADIUM 228	<b>11501</b>	<b>WAIVED</b>		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	<b>A-082</b>	<b>WAIVED</b>		
STRONTIUM-90	<b>13501</b>	<b>WAIVED</b>		
TRITIUM	<b>07000</b>	<b>WAIVED</b>		
URANIUM (PCI/L)	<b>28012</b>	<b>WAIVED</b>		

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	<b>34676</b>	<b>WAIVED</b>		
<b>2,4,5-TP (SILVEX)</b>	<b>39045</b>	<b>000</b>		<b>DUE</b>
<b>2,4-D</b>	<b>39730</b>	<b>000</b>		<b>DUE</b>
<b>ALACHLOR</b>	<b>77825</b>	<b>000</b>		<b>DUE</b>
<b>ATRAZINE</b>	<b>39033</b>	<b>000</b>		<b>DUE</b>
<b>BENTAZON</b>	<b>38710</b>	<b>000</b>		<b>DUE</b>
<b>BENZO (A) PYRENE</b>	<b>34247</b>	<b>000</b>		<b>DUE</b>
<b>CARBOFURAN</b>	<b>81405</b>	<b>000</b>		<b>DUE</b>
<b>CHLORDANE</b>	<b>39350</b>	<b>000</b>		<b>DUE</b>
<b>DALAPON</b>	<b>38432</b>	<b>000</b>		<b>DUE</b>
<b>DI(2-ETHYLHEXYL)ADIPATE</b>	<b>A-026</b>	<b>000</b>		<b>DUE</b>
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	<b>39100</b>	<b>000</b>		<b>DUE</b>
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	<b>38761</b>	<b>000</b>		<b>DUE</b>
<b>DINOSEB</b>	<b>81287</b>	<b>000</b>		<b>DUE</b>
<b>DIQUAT</b>	<b>78885</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-002**

Source Name: **WELL 01**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED	
ENDRIN	39390	WAIVED	
ETHYLENE DIBROMIDE (EDB)	77651	000	DUE
GLYPHOSATE	79743	WAIVED	
HEPTACHLOR	39410	000	DUE
HEPTACHLOR EPOXIDE	39420	000	DUE
HEXACHLOROBENZENE	39700	000	DUE
HEXACHLOROCYCLOPENTADIENE	34386	000	DUE
LINDANE	39340	000	DUE
METHOXYCHLOR	39480	000	DUE
MOLINATE	82199	000	DUE
OXAMYL	38865	000	DUE
PENTACHLOROPHENOL	39032	000	DUE
PICLORAM	39720	000	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000	DUE
SIMAZINE	39055	000	DUE
THIOBENCARB	A-001	000	DUE
TOXAPHENE	39400	000	DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300009**

**System Name: WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300009-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-002**

Source Name: **WELL 01**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

PS Code: **1300009-003**

Source Name: **WELL 02**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

GENERAL NON CHAP 15

DIAZINON	39570	000		DUE
----------	-------	-----	--	-----

INORGANIC

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-003**

Source Name: **WELL 02**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**INORGANIC**

<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	000		<b>DUE</b>
<b>LEAD</b>	01051	000		<b>DUE</b>
<b>MERCURY</b>	71900	000		<b>DUE</b>
<b>NICKEL</b>	01067	000		<b>DUE</b>
<b>PERCHLORATE</b>	A-031	000		<b>DUE</b>
<b>SELENIUM</b>	01147	000		<b>DUE</b>
<b>THALLIUM</b>	01059	000		<b>DUE</b>

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	000		<b>DUE</b>
<b>NITRITE (AS N)</b>	00620	000		<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	000		<b>DUE</b>
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED		

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
<b>2,4,5-TP (SILVEX)</b>	39045	000		<b>DUE</b>
<b>2,4-D</b>	39730	000		<b>DUE</b>
<b>ALACHLOR</b>	77825	000		<b>DUE</b>
<b>ATRAZINE</b>	39033	000		<b>DUE</b>
<b>BENTAZON</b>	38710	000		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-003**

Source Name: **WELL 02**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

BENZO (A) PYRENE	34247	000		DUE
CARBOFURAN	81405	000		DUE
CHLORDANE	39350	000		DUE
DALAPON	38432	000		DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000		DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000		DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000		DUE
DINOSEB	81287	000		DUE
DIQUAT	78885	000		DUE
ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	000		DUE
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	000		DUE
HEPTACHLOR EPOXIDE	39420	000		DUE
HEXACHLOROBENZENE	39700	000		DUE
HEXACHLOROCYCLOPENTADIENE	34386	000		DUE
LINDANE	39340	000		DUE
METHOXYCHLOR	39480	000		DUE
MOLINATE	82199	000		DUE
OXAMYL	38865	000		DUE
PENTACHLOROPHENOL	39032	000		DUE
PICLORAM	39720	000		DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000		DUE
SIMAZINE	39055	000		DUE
THIOBENCARB	A-001	000		DUE
TOXAPHENE	39400	000		DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000		DUE
-----------------------	-------	-----	--	-----

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET</u> <u>NUMBER</u>	<u>TESTING</u> <u>INTERVAL</u> <u>(MONTHS)*</u>	<u>LAST TEST</u> <u>DATE</u> <u>(yyyy/mm/dd)</u>	<u>LAST RESULT</u> <u>REPORTED</u>	<u>NEXT TEST</u> <u>DATE</u> <u>(yyyy/mm)</u>
--------------------------------	-------------------------------------------------------	--------------------------------------------------------	---------------------------------------	-----------------------------------------------------

PS Code: **1300009-003**

Source Name: **WELL 02**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE
STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300009**

System Name: **WINTERHAVEN COUNTY WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300009-003**

Source Name: **WELL 02**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-001

**Source Name:** ALAMO CANAL INTAKE

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
999 = Waived testing (not required)  
I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-001

**Source Name:** ALAMO CANAL INTAKE

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-001

**Source Name:** ALAMO CANAL INTAKE

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300018**

**System Name: GATEWAY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300018-001**

**Source Name: ALAMO CANAL INTAKE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-001

**Source Name:** ALAMO CANAL INTAKE

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

**PS Code:** 1300018-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:** SURFACE

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED

**INORGANIC**

ALUMINUM

01105 WAIVED

ANTIMONY

01097 WAIVED

ARSENIC

01002 WAIVED

ASBESTOS

81855 WAIVED

BARIUM

01007 WAIVED

BERYLLIUM

01012 WAIVED

CADMIUM

01027 WAIVED

CHROMIUM (TOTAL)

01034 WAIVED

CYANIDE

01291 WAIVED

FLUORIDE (F) (NATURAL-SOURCE)

00951 WAIVED

LEAD

01051 WAIVED

MERCURY

71900 WAIVED

NICKEL

01067 WAIVED

PERCHLORATE

A-031 WAIVED

SELENIUM

01147 WAIVED

THALLIUM

01059 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:** SURFACE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:** SURFACE

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:** SURFACE

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300018  
**System Name:** GATEWAY

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300018-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:** SURFACE

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300513-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300513-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	
2,4,5-TP (SILVEX)	39045	000	DUE
2,4-D	39730	000	DUE
ALACHLOR	77825	000	DUE
ATRAZINE	39033	000	DUE
BENTAZON	38710	000	DUE
BENZO (A) PYRENE	34247	000	DUE
CARBOFURAN	81405	000	DUE
CHLORDANE	39350	WAIVED	
DALAPON	38432	000	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000	DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000	DUE
DINOSEB	81287	000	DUE
DIQUAT	78885	000	DUE
ENDOTHALL	38926	000	DUE
ENDRIN	39390	WAIVED	
ETHYLENE DIBROMIDE (EDB)	77651	000	DUE
GLYPHOSATE	79743	WAIVED	
HEPTACHLOR	39410	WAIVED	
HEPTACHLOR EPOXIDE	39420	WAIVED	
HEXACHLOROBENZENE	39700	000	DUE
HEXACHLOROCYCLOPENTADIENE	34386	000	DUE
LINDANE	39340	WAIVED	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300513-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED	
MOLINATE	82199	000	DUE
OXAMYL	38865	000	DUE
PENTACHLOROPHENOL	39032	000	DUE
PICLORAM	39720	000	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	
SIMAZINE	39055	000	DUE
THIOBENCARB	A-001	000	DUE
TOXAPHENE	39400	WAIVED	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300513-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1300513-001</b>				
<b>Source Name: WELL NO. 3 EAST</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: GROUNDWATER OR WELL</b>				
<u>SECONDARY/GP</u>				
<b>TURBIDITY, LABORATORY</b>	82079	000		DUE
<b>ZINC</b>	01092	000		DUE

PS Code: **1300513-002**

Source Name: **WELL NO. 2 WEST**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

GENERAL NON CHAP 15

DIAZINON 39570 WAIVED

INORGANIC

<b>ALUMINUM</b>	01105	036	2006/05/01	.000	2009/05	DUE
<b>ANTIMONY</b>	01097	036	2006/05/01	.000	2009/05	DUE
<b>ARSENIC</b>	01002	036	2006/05/01	3.600	2009/05	DUE
ASBESTOS	81855	WAIVED				
<b>BARIUM</b>	01007	036	2006/05/01	160.000	2009/05	DUE
<b>BERYLLIUM</b>	01012	036	2006/05/01	.000	2009/05	DUE
<b>CADMIUM</b>	01027	036	2006/05/01	.000	2009/05	DUE
<b>CHROMIUM (TOTAL)</b>	01034	036	2006/05/01	.000	2009/05	DUE
CYANIDE	01291	WAIVED	2006/05/01	.000		
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	036	2006/05/01	.610	2009/05	DUE
<b>LEAD</b>	01051	036	2006/05/01	.000	2009/05	DUE
<b>MERCURY</b>	71900	036	2006/05/01	.000	2009/05	DUE
<b>NICKEL</b>	01067	036	2006/05/01	.000	2009/05	DUE
<b>PERCHLORATE</b>	A-031	000				DUE
<b>SELENIUM</b>	01147	036	2006/05/01	.000	2009/05	DUE
<b>THALLIUM</b>	01059	036	2006/05/01	.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300513**

**System Name: OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300513-002**

**Source Name: WELL NO. 2 WEST**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2008/01/21	14.000	2009/01	DUE
<b>NITRITE (AS N)</b>	00620	036	2006/05/01	.000	2009/05	DUE

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	036	2007/11/13	.000	2010/11	DUE
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED				
STRONTIUM-90	13501	WAIVED				
TRITIUM	07000	WAIVED				
URANIUM (PCI/L)	28012	WAIVED				

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED				
<b>2,4,5-TP (SILVEX)</b>	39045	000				DUE
<b>2,4-D</b>	39730	000				DUE
<b>ALACHLOR</b>	77825	000				DUE
<b>ATRAZINE</b>	39033	000				DUE
<b>BENTAZON</b>	38710	000				DUE
<b>BENZO (A) PYRENE</b>	34247	000				DUE
<b>CARBOFURAN</b>	81405	000				DUE
CHLORDANE	39350	WAIVED				
<b>DALAPON</b>	38432	000				DUE
<b>DI(2-ETHYLHEXYL)ADIPATE</b>	A-026	000				DUE
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	000				DUE
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	38761	000				DUE
<b>DINOSEB</b>	81287	000				DUE
<b>DIQUAT</b>	78885	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300513-002**

Source Name: **WELL NO. 2 WEST**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

<b>ENDOTHALL</b>	38926	000		<b>DUE</b>
ENDRIN	39390	WAIVED		
<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	000		<b>DUE</b>
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	WAIVED		
HEPTACHLOR EPOXIDE	39420	WAIVED		
<b>HEXACHLOROBENZENE</b>	39700	000		<b>DUE</b>
<b>HEXACHLOROCYCLOPENTADIENE</b>	34386	000		<b>DUE</b>
LINDANE	39340	WAIVED		
METHOXYCHLOR	39480	WAIVED		
<b>MOLINATE</b>	82199	000		<b>DUE</b>
<b>OXAMYL</b>	38865	000		<b>DUE</b>
<b>PENTACHLOROPHENOL</b>	39032	000		<b>DUE</b>
<b>PICLORAM</b>	39720	000		<b>DUE</b>
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED		
<b>SIMAZINE</b>	39055	000		<b>DUE</b>
<b>THIOBENCARB</b>	A-001	000		<b>DUE</b>
TOXAPHENE	39400	WAIVED		

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	072	2006/05/01	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/01	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/01	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/01	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/01	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/01	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/01	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/01	.000	2012/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300513**

**System Name: OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300513-002**

**Source Name: WELL NO. 2 WEST**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/01	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/01	.000	2012/05
BENZENE	34030	072	2006/05/01	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/01	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/01	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/01	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/01	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/01	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/01	.000	2012/05
STYRENE	77128	072	2006/05/01	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/01	.000	2012/05
TOLUENE	34010	072	2006/05/01	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/01	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/01	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/01	.000	2012/05
VINYL CHLORIDE	39175	072	2006/05/01	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/01	.000	2012/05

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	036	2006/05/01	11.590	2009/05	DUE
BICARBONATE ALKALINITY	00440	036	2006/05/01	150.000	2009/05	DUE
CALCIUM	00916	036	2006/05/01	32.000	2009/05	DUE
CARBONATE ALKALINITY	00445	036	2006/05/01	.000	2009/05	DUE
CHLORIDE	00940	036	2006/05/01	100.000	2009/05	DUE
COLOR	00081	036	2006/05/01	.000	2009/05	DUE
COPPER	01042	036	2006/05/01	.000	2009/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2006/05/01	.000	2009/05	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2006/05/01	99.000	2009/05	DUE
HYDROXIDE ALKALINITY	71830	036	2006/05/01	.000	2009/05	DUE
IRON	01045	036	2006/05/01	.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300513**

System Name: **OCOTILLO MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300513-002**

Source Name: **WELL NO. 2 WEST**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**SECONDARY/GP**

MAGNESIUM	00927	036	2006/05/01	6.300	2009/05	DUE
MANGANESE	01055	036	2006/05/01	.000	2009/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2006/05/01	1.000	2009/05	DUE
PH, LABORATORY	00403	036	2006/05/01	7.600	2009/05	DUE
SILVER	01077	036	2006/05/01	.000	2009/05	DUE
SODIUM	00929	036	2006/05/01	95.000	2009/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2006/05/01	640.000	2009/05	DUE
SULFATE	00945	036	2006/05/01	35.000	2009/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2006/05/01	370.000	2009/05	DUE
TURBIDITY, LABORATORY	82079	036	2006/05/01	.100	2009/05	DUE
ZINC	01092	036	2006/05/01	.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300514**

System Name: **COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300514-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED

**INORGANIC**

ALUMINUM

01105 036 2006/05/01 .000 2009/05 DUE

ANTIMONY

01097 036 2006/05/01 .000 2009/05 DUE

ARSENIC

01002 036 2006/05/01 3.700 2009/05 DUE

ASBESTOS

81855 WAIVED

BARIUM

01007 036 2006/05/01 .000 2009/05 DUE

BERYLLIUM

01012 036 2006/05/01 .000 2009/05 DUE

CADMIUM

01027 036 2006/05/01 .000 2009/05 DUE

CHROMIUM (TOTAL)

01034 036 2006/05/01 .000 2009/05 DUE

CYANIDE

01291 WAIVED 2006/05/01 .000

FLUORIDE (F) (NATURAL-SOURCE)

00951 036 2006/05/01 1.500 2009/05 DUE

LEAD

01051 036 2006/05/01 .000 2009/05 DUE

MERCURY

71900 036 2006/05/01 .000 2009/05 DUE

NICKEL

01067 036 2006/05/01 .000 2009/05 DUE

PERCHLORATE

A-031 000 DUE

SELENIUM

01147 036 2006/05/01 .000 2009/05 DUE

THALLIUM

01059 036 2006/05/01 .000 2009/05 DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)

71850 012 2008/01/21 7.300 2009/01 DUE

NITRITE (AS N)

00620 036 2006/05/01 .000 2009/05 DUE

**RADIOLOGICAL**

GROSS ALPHA

01501 036 2007/11/13 .000 2010/11 DUE

GROSS BETA

03501 WAIVED

RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0

A-080 WAIVED

RA-226 OR TOTAL RA BY 903.0 C.E.

A-081 WAIVED

RADIUM 226

09501 WAIVED

RADIUM 228

11501 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300514**

System Name: **COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300514-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	
2,4,5-TP (SILVEX)	39045	000	DUE
2,4-D	39730	000	DUE
ALACHLOR	77825	000	DUE
ATRAZINE	39033	000	DUE
BENTAZON	38710	000	DUE
BENZO (A) PYRENE	34247	000	DUE
CARBOFURAN	81405	000	DUE
CHLORDANE	39350	WAIVED	
DALAPON	38432	000	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000	DUE
DI(2-ETHYLHEXYL)PHthalATE	39100	000	DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000	DUE
DINOSEB	81287	000	DUE
DIQUAT	78885	000	DUE
ENDOTHALL	38926	000	DUE
ENDRIN	39390	WAIVED	
ETHYLENE DIBROMIDE (EDB)	77651	000	DUE
GLYPHOSATE	79743	WAIVED	
HEPTACHLOR	39410	WAIVED	
HEPTACHLOR EPOXIDE	39420	WAIVED	
HEXACHLOROBENZENE	39700	000	DUE
HEXACHLOROCYCLOPENTADIENE	34386	000	DUE
LINDANE	39340	WAIVED	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300514**

**System Name: COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300514-001**

**Source Name: WELL NO. 3 EAST**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED		
MOLINATE	82199	000		DUE
OXAMYL	38865	000		DUE
PENTACHLOROPHENOL	39032	000		DUE
PICLORAM	39720	000		DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED		
SIMAZINE	39055	000		DUE
THIOBENCARB	A-001	000		DUE
TOXAPHENE	39400	WAIVED		

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	072	2006/05/01	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/01	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/01	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/01	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/01	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/01	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/01	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/01	.000	2012/05
1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/01	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/01	.000	2012/05
BENZENE	34030	072	2006/05/01	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/01	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/01	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/01	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/01	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/01	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/01	.000	2012/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300514**

System Name: **COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300514-001**

Source Name: **WELL NO. 3 EAST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	072	2006/05/01	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/01	.000	2012/05
TOLUENE	34010	072	2006/05/01	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/01	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/01	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/01	.000	2012/05
VINYL CHLORIDE	39175	072	2006/05/01	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/01	.000	2012/05

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	036	2006/05/01	11.860	2009/05	DUE
BICARBONATE ALKALINITY	00440	036	2006/05/01	170.000	2009/05	DUE
CALCIUM	00916	036	2006/05/01	21.000	2009/05	DUE
CARBONATE ALKALINITY	00445	036	2006/05/01	.000	2009/05	DUE
CHLORIDE	00940	036	2006/05/01	89.000	2009/05	DUE
COLOR	00081	036	2006/05/01	.000	2009/05	DUE
COPPER	01042	036	2006/05/01	.000	2009/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2006/05/01	.000	2009/05	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2006/05/01	69.000	2009/05	DUE
HYDROXIDE ALKALINITY	71830	036	2006/05/01	.000	2009/05	DUE
IRON	01045	036	2006/05/01	.000	2009/05	DUE
MAGNESIUM	00927	036	2006/05/01	3.800	2009/05	DUE
MANGANESE	01055	036	2006/05/01	.000	2009/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2006/05/01	1.000	2009/05	DUE
PH, LABORATORY	00403	036	2006/05/01	8.000	2009/05	DUE
SILVER	01077	036	2006/05/01	.000	2009/05	DUE
SODIUM	00929	036	2006/05/01	100.000	2009/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2006/05/01	610.000	2009/05	DUE
SULFATE	00945	036	2006/05/01	30.000	2009/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2006/05/01	360.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300514**

System Name: **COYOTE VALLEY MUTUAL WATER CO**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1300514-001</b>						
<b>Source Name: WELL NO. 3 EAST</b>						
<b>Source Number: 001</b>						
<b>Source Status: ACTIVE UNTREATED</b>						
<b>Water type: GROUNDWATER OR WELL</b>						
<b><u>SECONDARY/GP</u></b>						
<b>TURBIDITY, LABORATORY</b>	82079	036	2006/05/01	.200	2009/05	DUE
<b>ZINC</b>	01092	036	2006/05/01	.000	2009/05	DUE

PS Code: **1300514-002**

Source Name: **WELL NO. 2 WEST**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON 39570 WAIVED

**INORGANIC**

<b>ALUMINUM</b>	01105	036	2006/05/01	.000	2009/05	DUE
<b>ANTIMONY</b>	01097	036	2006/05/01	.000	2009/05	DUE
<b>ARSENIC</b>	01002	036	2006/05/01	4.500	2009/05	DUE
<b>ASBESTOS</b>	81855	WAIVED				
<b>BARIUM</b>	01007	036	2006/05/01	.000	2009/05	DUE
<b>BERYLLIUM</b>	01012	036	2006/05/01	.000	2009/05	DUE
<b>CADMIUM</b>	01027	036	2006/05/01	.000	2009/05	DUE
<b>CHROMIUM (TOTAL)</b>	01034	036	2006/05/01	.000	2009/05	DUE
<b>CYANIDE</b>	01291	WAIVED	2006/05/01	.000		
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	036	2006/05/01	1.500	2009/05	DUE
<b>LEAD</b>	01051	036	2006/05/01	.000	2009/05	DUE
<b>MERCURY</b>	71900	036	2006/05/01	.000	2009/05	DUE
<b>NICKEL</b>	01067	036	2006/05/01	.000	2009/05	DUE
<b>PERCHLORATE</b>	A-031	000				DUE
<b>SELENIUM</b>	01147	036	2006/05/01	.000	2009/05	DUE
<b>THALLIUM</b>	01059	036	2006/05/01	.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300514**

System Name: **COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300514-002**

Source Name: **WELL NO. 2 WEST**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>012</b>	<b>2008/01/21</b>	<b>5.700</b>	<b>2009/01</b>	<b>DUE</b>
<b>NITRITE (AS N)</b>	<b>00620</b>	<b>036</b>	<b>2006/05/01</b>	<b>.000</b>	<b>2009/05</b>	<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>036</b>	<b>2007/11/13</b>	<b>.000</b>	<b>2010/11</b>	<b>DUE</b>
GROSS BETA	<b>03501</b>	<b>WAIVED</b>				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	<b>A-080</b>	<b>WAIVED</b>				
RA-226 OR TOTAL RA BY 903.0 C.E.	<b>A-081</b>	<b>WAIVED</b>				
RADIUM 226	<b>09501</b>	<b>WAIVED</b>				
RADIUM 228	<b>11501</b>	<b>WAIVED</b>				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	<b>A-082</b>	<b>WAIVED</b>				
STRONTIUM-90	<b>13501</b>	<b>WAIVED</b>				
TRITIUM	<b>07000</b>	<b>WAIVED</b>				
URANIUM (PCI/L)	<b>28012</b>	<b>WAIVED</b>				

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	<b>34676</b>	<b>WAIVED</b>				
<b>2,4,5-TP (SILVEX)</b>	<b>39045</b>	<b>000</b>				<b>DUE</b>
<b>2,4-D</b>	<b>39730</b>	<b>000</b>				<b>DUE</b>
<b>ALACHLOR</b>	<b>77825</b>	<b>000</b>				<b>DUE</b>
<b>ATRAZINE</b>	<b>39033</b>	<b>000</b>				<b>DUE</b>
<b>BENTAZON</b>	<b>38710</b>	<b>000</b>				<b>DUE</b>
<b>BENZO (A) PYRENE</b>	<b>34247</b>	<b>000</b>				<b>DUE</b>
<b>CARBOFURAN</b>	<b>81405</b>	<b>000</b>				<b>DUE</b>
CHLORDANE	<b>39350</b>	<b>WAIVED</b>				
<b>DALAPON</b>	<b>38432</b>	<b>000</b>				<b>DUE</b>
<b>DI(2-ETHYLHEXYL)ADIPATE</b>	<b>A-026</b>	<b>000</b>				<b>DUE</b>
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	<b>39100</b>	<b>000</b>				<b>DUE</b>
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	<b>38761</b>	<b>000</b>				<b>DUE</b>
<b>DINOSEB</b>	<b>81287</b>	<b>000</b>				<b>DUE</b>
<b>DIQUAT</b>	<b>78885</b>	<b>000</b>				<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300514**

System Name: **COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300514-002**

Source Name: **WELL NO. 2 WEST**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

<b>ENDOTHALL</b>	38926	000			<b>DUE</b>
ENDRIN	39390	WAIVED			
<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	000			<b>DUE</b>
GLYPHOSATE	79743	WAIVED			
HEPTACHLOR	39410	WAIVED			
HEPTACHLOR EPOXIDE	39420	WAIVED			
<b>HEXACHLOROBENZENE</b>	39700	000			<b>DUE</b>
<b>HEXACHLOROCYCLOPENTADIENE</b>	34386	000			<b>DUE</b>
LINDANE	39340	WAIVED			
METHOXYCHLOR	39480	WAIVED			
<b>MOLINATE</b>	82199	000			<b>DUE</b>
<b>OXAMYL</b>	38865	000			<b>DUE</b>
<b>PENTACHLOROPHENOL</b>	39032	000			<b>DUE</b>
<b>PICLORAM</b>	39720	000			<b>DUE</b>
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED			
<b>SIMAZINE</b>	39055	000			<b>DUE</b>
<b>THIOBENCARB</b>	A-001	000			<b>DUE</b>
TOXAPHENE	39400	WAIVED			

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	072	2006/05/01	.000	2012/05
1,1,2,2-TETRACHLOROETHANE	34516	072	2006/05/01	.000	2012/05
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	072	2006/05/01	.000	2012/05
1,1,2-TRICHLOROETHANE	34511	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHANE	34496	072	2006/05/01	.000	2012/05
1,1-DICHLOROETHYLENE	34501	072	2006/05/01	.000	2012/05
1,2,4-TRICHLOROBENZENE	34551	072	2006/05/01	.000	2012/05
1,2-DICHLOROBENZENE	34536	072	2006/05/01	.000	2012/05
1,2-DICHLOROETHANE	34531	072	2006/05/01	.000	2012/05
1,2-DICHLOROPROPANE	34541	072	2006/05/01	.000	2012/05

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300514**

**System Name: COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300514-002**

**Source Name: WELL NO. 2 WEST**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	072	2006/05/01	.000	2012/05
1,4-DICHLOROBENZENE	34571	072	2006/05/01	.000	2012/05
BENZENE	34030	072	2006/05/01	.000	2012/05
CARBON TETRACHLORIDE	32102	072	2006/05/01	.000	2012/05
CIS-1,2-DICHLOROETHYLENE	77093	072	2006/05/01	.000	2012/05
DICHLOROMETHANE	34423	072	2006/05/01	.000	2012/05
ETHYLBENZENE	34371	072	2006/05/01	.000	2012/05
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	072	2006/05/01	.000	2012/05
MONOCHLOROBENZENE	34301	072	2006/05/01	.000	2012/05
STYRENE	77128	072	2006/05/01	.000	2012/05
TETRACHLOROETHYLENE	34475	072	2006/05/01	.000	2012/05
TOLUENE	34010	072	2006/05/01	.000	2012/05
TRANS-1,2-DICHLOROETHYLENE	34546	072	2006/05/01	.000	2012/05
TRICHLOROETHYLENE	39180	072	2006/05/01	.000	2012/05
TRICHLOROFLUOROMETHANE	34488	072	2006/05/01	.000	2012/05
VINYL CHLORIDE	39175	072	2006/05/01	.000	2012/05
XYLENES (TOTAL)	81551	072	2006/05/01	.000	2012/05

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	036	2006/05/01	11.550	2009/05	DUE
BICARBONATE ALKALINITY	00440	036	2006/05/01	150.000	2009/05	DUE
CALCIUM	00916	036	2006/05/01	18.000	2009/05	DUE
CARBONATE ALKALINITY	00445	036	2006/05/01	.000	2009/05	DUE
CHLORIDE	00940	036	2006/05/01	79.000	2009/05	DUE
COLOR	00081	036	2006/05/01	.000	2009/05	DUE
COPPER	01042	036	2006/05/01	.000	2009/05	DUE
FOAMING AGENTS (MBAS)	38260	036	2006/05/01	.000	2009/05	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2006/05/01	53.000	2009/05	DUE
HYDROXIDE ALKALINITY	71830	036	2006/05/01	.000	2009/05	DUE
IRON	01045	036	2006/05/01	.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300514**

**System Name: COYOTE VALLEY MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300514-002**

**Source Name: WELL NO. 2 WEST**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

MAGNESIUM	00927	036	2006/05/01	3.000	2009/05	DUE
MANGANESE	01055	036	2006/05/01	.000	2009/05	DUE
ODOR THRESHOLD @ 60 C	00086	036	2006/05/01	1.000	2009/05	DUE
PH, LABORATORY	00403	036	2006/05/01	7.800	2009/05	DUE
SILVER	01077	036	2006/05/01	.000	2009/05	DUE
SODIUM	00929	036	2006/05/01	100.000	2009/05	DUE
SPECIFIC CONDUCTANCE	00095	036	2006/05/01	570.000	2009/05	DUE
SULFATE	00945	036	2006/05/01	33.000	2009/05	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2006/05/01	330.000	2009/05	DUE
TURBIDITY, LABORATORY	82079	036	2006/05/01	.100	2009/05	DUE
ZINC	01092	036	2006/05/01	.000	2009/05	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-001**

**Source Name: WELL #1**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-001**

**Source Name: WELL #1**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-001**

**Source Name: WELL #1**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-001**

**Source Name: WELL #1**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-001**

**Source Name: WELL #1**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

**PS Code: 1300517-003**

**Source Name: WELL #4**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED 2004/11/30 < .250

**INORGANIC**

ALUMINUM

01105 WAIVED 2010/07/30 < 50.000

ANTIMONY

01097 WAIVED 2010/07/30 < 6.000

ARSENIC

01002 WAIVED 2010/07/30 4.300

ASBESTOS

81855 WAIVED 2004/11/30 < .200

BARIUM

01007 WAIVED 2010/07/30 < 100.000

BERYLLIUM

01012 WAIVED 2010/07/30 < 1.000

CADMIUM

01027 WAIVED 2010/07/30 < 1.000

CHROMIUM (TOTAL)

01034 WAIVED 2010/07/30 1.900

CYANIDE

01291 WAIVED 2004/11/30 .000

FLUORIDE (F) (NATURAL-SOURCE)

00951 WAIVED 2010/07/30 1.200

LEAD

01051 WAIVED 2010/07/30 < 5.000

MERCURY

71900 WAIVED 2010/07/30 < 1.000

NICKEL

01067 WAIVED 2010/07/30 < 10.000

PERCHLORATE

A-031 WAIVED 2011/12/20 < 4.000

SELENIUM

01147 WAIVED 2010/07/30 < 5.000

THALLIUM

01059 WAIVED 2010/07/30 < 1.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-003**

Source Name: **WELL #4**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2010/07/30	7.900
NITRITE (AS N)	00620	WAIVED	2010/07/30	< 100.000

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	2004/11/30	1.680
GROSS BETA	03501	WAIVED	2004/11/30	2.320
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED	2004/11/30	.116
RADIUM 228	11501	WAIVED		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED	2004/11/30	.000
TRITIUM	07000	WAIVED	2004/11/30	92.400
URANIUM (PCI/L)	28012	WAIVED	2004/11/30	.894

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2004/11/30	.000
2,4,5-TP (SILVEX)	39045	WAIVED	2004/11/30	.000
2,4-D	39730	WAIVED	2004/11/30	.000
ALACHLOR	77825	WAIVED	2004/11/30	.000
ATRAZINE	39033	WAIVED	2004/11/30	.000
BENTAZON	38710	WAIVED	2004/11/30	.000
BENZO (A) PYRENE	34247	WAIVED	2004/11/30	.000
CARBOFURAN	81405	WAIVED	2004/11/30	< 5.000
CHLORDANE	39350	WAIVED	2004/11/30	.000
DALAPON	38432	WAIVED	2004/11/30	.000
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2003/12/03	.000
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2004/11/30	.000
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/11/30	.000
DINOSEB	81287	WAIVED	2004/11/30	.000
DIQUAT	78885	WAIVED	2004/11/30	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-003**

Source Name: **WELL #4**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED	2004/11/30	.000
ENDRIN	39390	WAIVED	2004/11/30	.000
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/11/30	.000
GLYPHOSATE	79743	WAIVED	2004/11/30	< 20.000
HEPTACHLOR	39410	WAIVED	2004/11/30	.000
HEPTACHLOR EPOXIDE	39420	WAIVED	2004/11/30	.000
HEXACHLOROBENZENE	39700	WAIVED	2004/11/30	.000
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2004/11/30	.000
LINDANE	39340	WAIVED	2004/11/30	.000
METHOXYCHLOR	39480	WAIVED	2004/11/30	.000
MOLINATE	82199	WAIVED	2004/11/30	.000
OXAMYL	38865	WAIVED	2004/11/30	< 5.000
PENTACHLOROPHENOL	39032	WAIVED	2004/11/30	.000
PICLORAM	39720	WAIVED	2004/11/30	.000
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2004/11/30	.000
SIMAZINE	39055	WAIVED	2004/11/30	.000
THIOBENCARB	A-001	WAIVED	2004/11/30	.000
TOXAPHENE	39400	WAIVED	2004/11/30	.000

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/07/30	< .500
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/07/30	< .500
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/07/30	< 10.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/07/30	< .500
1,1-DICHLOROETHANE	34496	WAIVED	2010/07/30	< .500
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/07/30	< .500
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/07/30	< .500
1,2-DICHLOROBENZENE	34536	WAIVED	2010/07/30	< .500
1,2-DICHLOROETHANE	34531	WAIVED	2010/07/30	< .500
1,2-DICHLOROPROPANE	34541	WAIVED	2010/07/30	< .500

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-003**

Source Name: **WELL #4**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/07/30	< .500
1,4-DICHLOROBENZENE	34571	WAIVED	2010/07/30	< .500
BENZENE	34030	WAIVED	2010/07/30	< .500
CARBON TETRACHLORIDE	32102	WAIVED	2010/07/30	< .500
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/07/30	< .500
DICHLOROMETHANE	34423	WAIVED	2010/07/30	< .500
ETHYLBENZENE	34371	WAIVED	2010/07/30	< .500
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/07/30	< 3.000
MONOCHLOROBENZENE	34301	WAIVED	2010/07/30	< .500
STYRENE	77128	WAIVED	2010/07/30	< .500
TETRACHLOROETHYLENE	34475	WAIVED	2010/07/30	< .500
TOLUENE	34010	WAIVED	2010/07/30	< .500
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/07/30	< .500
TRICHLOROETHYLENE	39180	WAIVED	2010/07/30	< .500
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/07/30	< 5.000
VINYL CHLORIDE	39175	WAIVED	2010/07/30	< .500
XYLENES (TOTAL)	81551	WAIVED	2010/07/30	< .500

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/07/30	11.800
BICARBONATE ALKALINITY	00440	WAIVED	2010/07/30	140.000
CALCIUM	00916	WAIVED	2010/07/30	19.000
CARBONATE ALKALINITY	00445	WAIVED	2010/07/30	< 3.000
CHLORIDE	00940	WAIVED	2010/07/30	86.000
COLOR	00081	WAIVED	2010/07/30	< 3.000
COPPER	01042	WAIVED	2010/07/30	< 50.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2010/07/30	< .050
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2010/07/30	62.000
HYDROXIDE ALKALINITY	71830	WAIVED	2010/07/30	< 3.000
IRON	01045	WAIVED	2010/07/30	< 100.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-003**

Source Name: **WELL #4**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED	2010/07/30	3.400
MANGANESE	01055	WAIVED	2010/07/30	< 20.000
ODOR THRESHOLD @ 60 C	00086	WAIVED	2010/07/30	< 1.000
PH, LABORATORY	00403	WAIVED	2010/07/30	8.100
SILVER	01077	WAIVED	2010/07/30	< 10.000
SODIUM	00929	WAIVED	2010/07/30	96.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2010/07/30	650.000
SULFATE	00945	WAIVED	2010/07/30	39.000
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/07/30	360.000
TURBIDITY, LABORATORY	82079	WAIVED	2010/07/30	< .200
ZINC	01092	WAIVED	2010/07/30	< 50.000

PS Code: **1300517-004**

Source Name: **WELL #5**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2007/06/27	< .250
----------	-------	--------	------------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED	2010/07/30	< 50.000
ANTIMONY	01097	WAIVED	2010/07/30	< 6.000
ARSENIC	01002	WAIVED	2010/07/30	3.600
ASBESTOS	81855	WAIVED	2007/06/27	< .200
BARIUM	01007	WAIVED	2010/07/30	< 100.000
BERYLLIUM	01012	WAIVED	2010/07/30	< 1.000
CADMIUM	01027	WAIVED	2010/07/30	< 1.000
CHROMIUM (TOTAL)	01034	WAIVED	2010/07/30	1.300
CYANIDE	01291	WAIVED	2007/06/27	< 100.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-004**

Source Name: **WELL #5**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/07/30	.700
LEAD	01051	WAIVED	2010/07/30	<5.000
MERCURY	71900	WAIVED	2010/07/30	<1.000
NICKEL	01067	WAIVED	2010/07/30	<10.000
PERCHLORATE	A-031	WAIVED	2011/12/20	<4.000
SELENIUM	01147	WAIVED	2010/07/30	<5.000
THALLIUM	01059	WAIVED	2010/07/30	<1.000

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2010/07/30	7.900
NITRITE (AS N)	00620	WAIVED	2010/07/30	<100.000

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	2007/06/27	.390
GROSS BETA	03501	WAIVED	2007/06/27	.560
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED	2007/06/27	.150
TRITIUM	07000	WAIVED	2007/06/27	-45.800
URANIUM (PCI/L)	28012	WAIVED	2007/06/27	.530

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2007/06/27	.000
2,4,5-TP (SILVEX)	39045	WAIVED	2007/06/27	<1.000
2,4-D	39730	WAIVED	2007/06/27	<10.000
ALACHLOR	77825	WAIVED	2007/06/27	<1.000
ATRAZINE	39033	WAIVED	2007/06/27	<.500
BENTAZON	38710	WAIVED	2007/06/27	<2.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-004**

Source Name: **WELL #5**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

BENZO (A) PYRENE	34247	WAIVED	2007/06/27	<.100
CARBOFURAN	81405	WAIVED	2007/06/27	.000
CHLORDANE	39350	WAIVED	2007/06/27	<.100
DALAPON	38432	WAIVED	2007/06/27	<10.000
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2007/06/27	<5.000
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2007/06/27	<3.000
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2007/06/27	<.010
DINOSEB	81287	WAIVED	2007/06/27	<2.000
DIQUAT	78885	WAIVED	2007/06/27	.000
ENDOTHALL	38926	WAIVED	2007/06/27	<45.000
ENDRIN	39390	WAIVED	2007/06/27	<.100
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2007/06/27	<.020
GLYPHOSATE	79743	WAIVED	2007/06/27	.000
HEPTACHLOR	39410	WAIVED	2007/06/27	<.010
HEPTACHLOR EPOXIDE	39420	WAIVED	2007/06/27	<.010
HEXACHLOROBENZENE	39700	WAIVED	2007/06/27	<.500
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2007/06/27	<1.000
LINDANE	39340	WAIVED	2007/06/27	<.200
METHOXYCHLOR	39480	WAIVED	2007/06/27	<10.000
MOLINATE	82199	WAIVED	2007/06/27	<.900
OXAMYL	38865	WAIVED	2007/06/27	.000
PENTACHLOROPHENOL	39032	WAIVED	2007/06/27	<.200
PICLORAM	39720	WAIVED	2007/06/27	<1.000
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2007/06/27	<.500
SIMAZINE	39055	WAIVED	2007/06/27	<1.000
THIOBENCARB	A-001	WAIVED	2007/06/27	<1.000
TOXAPHENE	39400	WAIVED	2007/06/27	<1.000

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/06/27	<.500
-----------------------	-------	--------	------------	-------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-004**

Source Name: **WELL #5**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/06/27	< .500
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/06/27	< 10.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/06/27	< .500
1,1-DICHLOROETHANE	34496	WAIVED	2007/06/27	< .500
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/06/27	< .500
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/06/27	< .500
1,2-DICHLOROBENZENE	34536	WAIVED	2007/06/27	< .500
1,2-DICHLOROETHANE	34531	WAIVED	2007/06/27	< .500
1,2-DICHLOROPROPANE	34541	WAIVED	2007/06/27	< .500
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/06/27	< .500
1,4-DICHLOROBENZENE	34571	WAIVED	2007/06/27	< .500
BENZENE	34030	WAIVED	2007/06/27	< .500
CARBON TETRACHLORIDE	32102	WAIVED	2007/06/27	< .500
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/06/27	< .500
DICHLOROMETHANE	34423	WAIVED	2007/06/27	< .500
ETHYLBENZENE	34371	WAIVED	2007/06/27	< .500
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/06/27	< 3.000
MONOCHLOROBENZENE	34301	WAIVED	2007/06/27	< .500
STYRENE	77128	WAIVED	2007/06/27	< .500
TETRACHLOROETHYLENE	34475	WAIVED	2007/06/27	< .500
TOLUENE	34010	WAIVED	2007/06/27	< .500
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/06/27	< .500
TRICHLOROETHYLENE	39180	WAIVED	2007/06/27	< .500
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/06/27	< 5.000
VINYL CHLORIDE	39175	WAIVED	2007/06/27	< .500
XYLENES (TOTAL)	81551	WAIVED	2007/06/27	< .500

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2007/06/27	11.800
BICARBONATE ALKALINITY	00440	WAIVED	2007/06/27	120.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-004**

**Source Name: WELL #5**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

CALCIUM	00916	WAIVED	2007/06/27	18.000
CARBONATE ALKALINITY	00445	WAIVED	2007/06/27	< 3.000
CHLORIDE	00940	WAIVED	2007/06/27	60.000
COLOR	00081	WAIVED	2007/06/27	< 3.000
COPPER	01042	WAIVED	2007/06/27	< 50.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/06/27	< .050
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED	2007/06/27	60.000
HYDROXIDE ALKALINITY	71830	WAIVED	2007/06/27	< 3.000
IRON	01045	WAIVED	2007/06/27	< 100.000
MAGNESIUM	00927	WAIVED	2007/06/27	3.600
MANGANESE	01055	WAIVED	2007/06/27	< 20.000
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/06/27	< 1.000
PH, LABORATORY	00403	WAIVED	2007/06/27	8.200
SILVER	01077	WAIVED	2007/06/27	< 10.000
SODIUM	00929	WAIVED	2007/06/27	66.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/06/27	500.000
SULFATE	00945	WAIVED	2007/06/27	35.000
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/06/27	310.000
TURBIDITY, LABORATORY	82079	WAIVED	2007/06/27	.350
ZINC	01092	WAIVED	2007/06/27	< 50.000

**PS Code: 1300517-006**

**Source Name: WELL #6**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-006**

**Source Name: WELL #6**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**INORGANIC**

ALUMINUM	01105	WAIVED	2010/07/30	< 50.000
ANTIMONY	01097	WAIVED	2010/07/30	< 6.000
ARSENIC	01002	WAIVED	2010/07/30	3.300
ASBESTOS	81855	WAIVED	2008/07/23	< .200
BARIUM	01007	WAIVED	2010/07/30	< 100.000
BERYLLIUM	01012	WAIVED	2010/07/30	< 1.000
CADMIUM	01027	WAIVED	2010/07/30	< 1.000
CHROMIUM (TOTAL)	01034	WAIVED	2010/07/30	2.100
CYANIDE	01291	WAIVED	2008/07/23	< 100.000
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2010/07/30	.700
LEAD	01051	WAIVED	2010/07/30	< 5.000
MERCURY	71900	WAIVED	2010/07/30	< 1.000
NICKEL	01067	WAIVED	2010/07/30	< 10.000
PERCHLORATE	A-031	WAIVED	2011/12/20	< 4.000
SELENIUM	01147	WAIVED	2010/07/30	< 5.000
THALLIUM	01059	WAIVED	2010/07/30	< 1.000

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2010/07/30	8.800
NITRITE (AS N)	00620	WAIVED	2010/07/30	< 100.000

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	2008/07/23	.390
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300517**

System Name: **U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300517-006**

Source Name: **WELL #6**

Source Number: **006**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

URANIUM (PCI/L)	28012	WAIVED		
-----------------	-------	--------	--	--

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	2003/08/19	.000
2,4,5-TP (SILVEX)	39045	WAIVED	2008/07/23	< 1.000
2,4-D	39730	WAIVED	2008/07/23	< 10.000
ALACHLOR	77825	WAIVED	2008/07/23	< 1.000
ATRAZINE	39033	WAIVED	2008/07/23	< .500
BENTAZON	38710	WAIVED	2008/07/23	< 2.000
BENZO (A) PYRENE	34247	WAIVED	2008/07/23	< .100
CARBOFURAN	81405	WAIVED	2008/07/23	.000
CHLORDANE	39350	WAIVED	2008/07/23	< .100
DALAPON	38432	WAIVED	2008/07/23	< 10.000
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2008/07/23	< 5.000
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2008/07/23	< 3.000
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2008/07/23	< .010
DINOSEB	81287	WAIVED	2008/07/23	< 2.000
DIQUAT	78885	WAIVED	2008/07/23	.000
ENDOTHALL	38926	WAIVED	2008/07/23	< 45.000
ENDRIN	39390	WAIVED	2008/07/23	< .100
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2008/07/23	< .020
GLYPHOSATE	79743	WAIVED	2008/07/23	.000
HEPTACHLOR	39410	WAIVED	2008/07/23	< .010
HEPTACHLOR EPOXIDE	39420	WAIVED	2008/07/23	< .010
HEXACHLOROBENZENE	39700	WAIVED	2008/07/23	< .500
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2008/07/23	< 1.000
LINDANE	39340	WAIVED	2008/07/23	< .200
METHOXYCHLOR	39480	WAIVED	2008/07/23	< 10.000
MOLINATE	82199	WAIVED	2008/07/23	< 2.000
OXAMYL	38865	WAIVED	2008/07/23	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-006**

**Source Name: WELL #6**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

PENTACHLOROPHENOL	39032	WAIVED	2008/07/23	< .200
PICLORAM	39720	WAIVED	2008/07/23	< 1.000
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2008/07/23	< .500
SIMAZINE	39055	WAIVED	2008/07/23	< 1.000
THIOBENCARB	A-001	WAIVED	2008/07/23	< 1.000
TOXAPHENE	39400	WAIVED	2008/07/23	< 1.000

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	2010/07/30	< .500
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2010/07/30	< .500
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2010/07/30	< 10.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	2010/07/30	< .500
1,1-DICHLOROETHANE	34496	WAIVED	2010/07/30	< .500
1,1-DICHLOROETHYLENE	34501	WAIVED	2010/07/30	< .500
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2010/07/30	< .500
1,2-DICHLOROBENZENE	34536	WAIVED	2010/07/30	< .500
1,2-DICHLOROETHANE	34531	WAIVED	2010/07/30	< .500
1,2-DICHLOROPROPANE	34541	WAIVED	2010/07/30	< .500
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2010/07/30	< .500
1,4-DICHLOROBENZENE	34571	WAIVED	2010/07/30	< .500
BENZENE	34030	WAIVED	2010/07/30	< .500
CARBON TETRACHLORIDE	32102	WAIVED	2010/07/30	< .500
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2010/07/30	< .500
DICHLOROMETHANE	34423	WAIVED	2010/07/30	< .500
ETHYLBENZENE	34371	WAIVED	2010/07/30	< .500
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2010/07/30	< 3.000
MONOCHLOROBENZENE	34301	WAIVED	2010/07/30	< .500
STYRENE	77128	WAIVED	2010/07/30	< .500
TETRACHLOROETHYLENE	34475	WAIVED	2010/07/30	< .500
TOLUENE	34010	WAIVED	2010/07/30	< .500

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300517**

**System Name: U.S. GYPSUM CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300517-006**

**Source Name: WELL #6**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2010/07/30	< .500
TRICHLOROETHYLENE	39180	WAIVED	2010/07/30	< .500
TRICHLOROFLUOROMETHANE	34488	WAIVED	2010/07/30	< 5.000
VINYL CHLORIDE	39175	WAIVED	2010/07/30	< .500
XYLENES (TOTAL)	81551	WAIVED	2010/07/30	< .500

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	2010/07/30	11.800
BICARBONATE ALKALINITY	00440	WAIVED	2010/07/30	130.000
CALCIUM	00916	WAIVED	2010/07/30	20.000
CARBONATE ALKALINITY	00445	WAIVED	2010/07/30	< 3.000
CHLORIDE	00940	WAIVED	2008/07/23	68.000
COLOR	00081	WAIVED	2008/07/23	< 3.000
COPPER	01042	WAIVED	2008/07/23	< 50.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2008/07/23	< .050
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2010/07/30	67.000
HYDROXIDE ALKALINITY	71830	WAIVED	2010/07/30	< 3.000
IRON	01045	WAIVED	2008/07/23	< 100.000
MAGNESIUM	00927	WAIVED	2010/07/30	4.200
MANGANESE	01055	WAIVED	2008/07/23	< 20.000
ODOR THRESHOLD @ 60 C	00086	WAIVED	2008/07/23	< 1.000
PH, LABORATORY	00403	WAIVED	2010/07/30	8.100
SILVER	01077	WAIVED	2008/07/23	< 10.000
SODIUM	00929	WAIVED	2008/07/23	78.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2008/07/23	550.000
SULFATE	00945	WAIVED	2008/07/23	25.000
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2010/07/30	280.000
TURBIDITY, LABORATORY	82079	WAIVED	2008/07/23	.200
ZINC	01092	WAIVED	2008/07/23	< 50.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300530**

**System Name: WEST MAIN MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300530-001**

**Source Name: WEST MAIN MUTUAL WATER COMPANY**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300530**

**System Name: WEST MAIN MUTUAL WATER CO**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300530-001**

**Source Name: WEST MAIN MUTUAL WATER COMPANY**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300530

**System Name:** WEST MAIN MUTUAL WATER CO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300530-001

**Source Name:** WEST MAIN MUTUAL WATER COMPANY

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300530

**System Name:** WEST MAIN MUTUAL WATER CO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300530-001

**Source Name:** WEST MAIN MUTUAL WATER COMPANY

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300530

**System Name:** WEST MAIN MUTUAL WATER CO

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300530-001

**Source Name:** WEST MAIN MUTUAL WATER COMPANY

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300540**

System Name: **COCO PALMS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300540-001**

Source Name: **COCO PALMS MOBILE HOME PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300540**

System Name: **COCO PALMS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300540-001**

Source Name: **COCO PALMS MOBILE HOME PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	
<b>2,4,5-TP (SILVEX)</b>	39045	000	<b>DUE</b>
<b>2,4-D</b>	39730	000	<b>DUE</b>
<b>ALACHLOR</b>	77825	000	<b>DUE</b>
<b>ATRAZINE</b>	39033	000	<b>DUE</b>
<b>BENTAZON</b>	38710	000	<b>DUE</b>
<b>BENZO (A) PYRENE</b>	34247	000	<b>DUE</b>
<b>CARBOFURAN</b>	81405	000	<b>DUE</b>
CHLORDANE	39350	WAIVED	
<b>DALAPON</b>	38432	000	<b>DUE</b>
<b>DI(2-ETHYLHEXYL)ADIPATE</b>	A-026	000	<b>DUE</b>
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	000	<b>DUE</b>
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	38761	000	<b>DUE</b>
<b>DINOSEB</b>	81287	000	<b>DUE</b>
<b>DIQUAT</b>	78885	000	<b>DUE</b>
<b>ENDOTHALL</b>	38926	000	<b>DUE</b>
ENDRIN	39390	WAIVED	
<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	000	<b>DUE</b>
GLYPHOSATE	79743	WAIVED	
HEPTACHLOR	39410	WAIVED	
HEPTACHLOR EPOXIDE	39420	WAIVED	
<b>HEXACHLOROBENZENE</b>	39700	000	<b>DUE</b>
<b>HEXACHLOROCYCLOPENTADIENE</b>	34386	000	<b>DUE</b>
LINDANE	39340	WAIVED	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300540**

System Name: **COCO PALMS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300540-001**

Source Name: **COCO PALMS MOBILE HOME PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED	
MOLINATE	82199	000	DUE
OXAMYL	38865	000	DUE
PENTACHLOROPHENOL	39032	000	DUE
PICLORAM	39720	000	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	
SIMAZINE	39055	000	DUE
THIOBENCARB	A-001	000	DUE
TOXAPHENE	39400	WAIVED	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300540**

**System Name: COCO PALMS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300540-001**

**Source Name: COCO PALMS MOBILE HOME PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300540**

System Name: **COCO PALMS MOBILE HOME PARK**

<u>STORET</u> <u>NUMBER</u>	<u>TESTING</u> <u>INTERVAL</u> <u>(MONTHS)*</u>	<u>LAST TEST</u> <u>DATE</u> <u>(yyyy/mm/dd)</u>	<u>LAST RESULT</u> <u>REPORTED</u>	<u>NEXT TEST</u> <u>DATE</u> <u>(yyyy/mm)</u>
--------------------------------	-------------------------------------------------------	--------------------------------------------------------	---------------------------------------	-----------------------------------------------------

PS Code: **1300540-001**

Source Name: **COCO PALMS MOBILE HOME PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300544**

**System Name: FISH & GAME WISTER UNIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300544-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300544**

**System Name: FISH & GAME WISTER UNIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300544-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300544**

**System Name: FISH & GAME WISTER UNIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300544-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300544**

**System Name: FISH & GAME WISTER UNIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300544-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300544**

**System Name: FISH & GAME WISTER UNIT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300544-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300546**

**System Name: GOLD ROCK RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300546-001**

**Source Name: GOLD ROCK TRADING POST**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	
----------	-------	--------	--

**INORGANIC**

ALUMINUM	01105	WAIVED	
ANTIMONY	01097	WAIVED	
ARSENIC	01002	000	DUE
ASBESTOS	81855	WAIVED	
BARIUM	01007	000	DUE
BERYLLIUM	01012	WAIVED	
CADMIUM	01027	000	DUE
CHROMIUM (TOTAL)	01034	000	DUE
CYANIDE	01291	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	DUE
LEAD	01051	WAIVED	
MERCURY	71900	000	DUE
NICKEL	01067	WAIVED	
PERCHLORATE	A-031	WAIVED	
SELENIUM	01147	000	DUE
THALLIUM	01059	WAIVED	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000	DUE
NITRITE (AS N)	00620	000	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300546**

**System Name: GOLD ROCK RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300546-001**

**Source Name: GOLD ROCK TRADING POST**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300546**

**System Name: GOLD ROCK RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300546-001**

**Source Name: GOLD ROCK TRADING POST**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300546**

**System Name: GOLD ROCK RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300546-001**

**Source Name: GOLD ROCK TRADING POST**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300546**

System Name: **GOLD ROCK RANCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300546-001**

Source Name: **GOLD ROCK TRADING POST**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300549**

**System Name: IMPERIAL VALLEY COLLEGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300549-001**

**Source Name: IMPERIAL VALLEY COLLEGE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300549**

**System Name: IMPERIAL VALLEY COLLEGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300549-001**

**Source Name: IMPERIAL VALLEY COLLEGE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300549**

**System Name: IMPERIAL VALLEY COLLEGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300549-001**

**Source Name: IMPERIAL VALLEY COLLEGE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300549**

**System Name: IMPERIAL VALLEY COLLEGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300549-001**

**Source Name: IMPERIAL VALLEY COLLEGE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300549**

**System Name: IMPERIAL VALLEY COLLEGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300549-001**

**Source Name: IMPERIAL VALLEY COLLEGE**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300550**

**System Name: COUNTRY LIFE MH & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300550-001**

**Source Name: ALDER CANAL, LATERAL 7, GATE 59**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300550**

**System Name: COUNTRY LIFE MH & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300550-001**

**Source Name: ALDER CANAL, LATERAL 7, GATE 59**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300550

**System Name:** COUNTRY LIFE MH & RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300550-001

**Source Name:** ALDER CANAL, LATERAL 7, GATE 59

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300550**

**System Name: COUNTRY LIFE MH & RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300550-001**

**Source Name: ALDER CANAL, LATERAL 7, GATE 59**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300550

**System Name:** COUNTRY LIFE MH & RV PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300550-001

**Source Name:** ALDER CANAL, LATERAL 7, GATE 59

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300553**

**System Name: MAGNOLIA UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300553-001**

**Source Name: MAGNOLIA SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300553**

**System Name: MAGNOLIA UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300553-001**

**Source Name: MAGNOLIA SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300553**

**System Name: MAGNOLIA UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300553-001**

**Source Name: MAGNOLIA SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300553**

**System Name: MAGNOLIA UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300553-001**

**Source Name: MAGNOLIA SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300553

**System Name:** MAGNOLIA UNION SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300553-001

**Source Name:** MAGNOLIA SCHOOL

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300554**

**System Name: MEADOWS UNION ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300554-001**

**Source Name: MEADOWS UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300554**

**System Name: MEADOWS UNION ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300554-001**

**Source Name: MEADOWS UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300554**

**System Name: MEADOWS UNION ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300554-001**

**Source Name: MEADOWS UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300554**

**System Name: MEADOWS UNION ELEMENTARY SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300554-001**

**Source Name: MEADOWS UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300554

**System Name:** MEADOWS UNION ELEMENTARY SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300554-001

**Source Name:** MEADOWS UNION SCHOOL

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300555**

System Name: **MITCHELLS CAMP FAMILY ASSOC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300555-001**

Source Name: **MITCHELL S CAMP FAMILY ASSOCIATION**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	
----------	-------	--------	--

**INORGANIC**

ALUMINUM	01105	WAIVED	
ANTIMONY	01097	WAIVED	
ARSENIC	01002	000	DUE
ASBESTOS	81855	WAIVED	
BARIUM	01007	000	DUE
BERYLLIUM	01012	WAIVED	
CADMIUM	01027	000	DUE
CHROMIUM (TOTAL)	01034	000	DUE
CYANIDE	01291	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	DUE
LEAD	01051	WAIVED	
MERCURY	71900	000	DUE
NICKEL	01067	WAIVED	
PERCHLORATE	A-031	WAIVED	
SELENIUM	01147	000	DUE
THALLIUM	01059	WAIVED	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000	DUE
NITRITE (AS N)	00620	000	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300555**

**System Name: MITCHELLS CAMP FAMILY ASSOC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300555-001**

**Source Name: MITCHELL S CAMP FAMILY ASSOCIATION**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300555**

**System Name: MITCHELLS CAMP FAMILY ASSOC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300555-001**

**Source Name: MITCHELL S CAMP FAMILY ASSOCIATION**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300555**

**System Name: MITCHELLS CAMP FAMILY ASSOC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300555-001**

**Source Name: MITCHELL S CAMP FAMILY ASSOCIATION**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300555**

System Name: **MITCHELLS CAMP FAMILY ASSOC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300555-001**

Source Name: **MITCHELL S CAMP FAMILY ASSOCIATION**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300556**

**System Name: MULBERRY UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300556-001**

**Source Name: MULBERRY UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300556**

**System Name: MULBERRY UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300556-001**

**Source Name: MULBERRY UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300556**

**System Name: MULBERRY UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300556-001**

**Source Name: MULBERRY UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300556**

**System Name: MULBERRY UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300556-001**

**Source Name: MULBERRY UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300556

**System Name:** MULBERRY UNION SCHOOL

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300556-001

**Source Name:** MULBERRY UNION SCHOOL

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300559**

System Name: **PILOT KNOB RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300559-001**

Source Name: **PILOT KNOB RV RESORT**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED		
MERCURY	71900	000		DUE
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	000		DUE
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300559**

**System Name: PILOT KNOB RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300559-001**

**Source Name: PILOT KNOB RV RESORT**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300559**

**System Name: PILOT KNOB RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300559-001**

**Source Name: PILOT KNOB RV RESORT**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300559**

**System Name: PILOT KNOB RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300559-001**

**Source Name: PILOT KNOB RV RESORT**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300559**

**System Name: PILOT KNOB RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300559-001**

**Source Name: PILOT KNOB RV RESORT**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300560**

**System Name: PINE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300560-001**

**Source Name: PINE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300560**

**System Name: PINE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300560-001**

**Source Name: PINE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300560**

**System Name: PINE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300560-001**

**Source Name: PINE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300560**

**System Name: PINE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300560-001**

**Source Name: PINE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300560**

**System Name: PINE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300560-001**

**Source Name: PINE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300561**

**System Name: RED HILL MARINA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300561-001**

**Source Name: LATERIAL 36**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300561**

**System Name: RED HILL MARINA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300561-001**

**Source Name: LATERIAL 36**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300561**

System Name: **RED HILL MARINA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300561-001**

Source Name: **LATERIAL 36**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300561**

**System Name: RED HILL MARINA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300561-001**

**Source Name: LATERIAL 36**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300561**

**System Name: RED HILL MARINA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300561-001**

**Source Name: LATERIAL 36**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300564**

**System Name: SALAMANDER TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300564-001**

**Source Name: SALAMANDER TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	
----------	-------	--------	--

**INORGANIC**

ALUMINUM	01105	WAIVED	
ANTIMONY	01097	WAIVED	
ARSENIC	01002	000	DUE
ASBESTOS	81855	WAIVED	
BARIUM	01007	000	DUE
BERYLLIUM	01012	WAIVED	
CADMIUM	01027	000	DUE
CHROMIUM (TOTAL)	01034	000	DUE
CYANIDE	01291	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	DUE
LEAD	01051	WAIVED	
MERCURY	71900	000	DUE
NICKEL	01067	WAIVED	
PERCHLORATE	A-031	WAIVED	
SELENIUM	01147	000	DUE
THALLIUM	01059	WAIVED	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000	DUE
NITRITE (AS N)	00620	000	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300564**

**System Name: SALAMANDER TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300564-001**

**Source Name: SALAMANDER TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300564**

**System Name: SALAMANDER TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300564-001**

**Source Name: SALAMANDER TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300564**

**System Name: SALAMANDER TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300564-001**

**Source Name: SALAMANDER TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300564**

**System Name: SALAMANDER TRAILER PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300564-001**

**Source Name: SALAMANDER TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*



**System Number: 1300572**

**System Name: VALLEY MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300572-001**

**Source Name: VALLEY MOBILE PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300572**

**System Name: VALLEY MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300572-001**

**Source Name: VALLEY MOBILE PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300572

**System Name:** VALLEY MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300572-001

**Source Name:** VALLEY MOBILE PARK

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300572**

**System Name: VALLEY MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300572-001**

**Source Name: VALLEY MOBILE PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300572

**System Name:** VALLEY MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300572-001

**Source Name:** VALLEY MOBILE PARK

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300574**

System Name: **WELL TRAILER PARK THE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300574-001**

Source Name: **THE WELL TRAILER PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED		
MERCURY	71900	000		DUE
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	000		DUE
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300574**

**System Name: WELL TRAILER PARK THE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300574-001**

**Source Name: THE WELL TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300574**

System Name: **WELL TRAILER PARK THE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300574-001**

Source Name: **THE WELL TRAILER PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300574**

**System Name: WELL TRAILER PARK THE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300574-001**

**Source Name: THE WELL TRAILER PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300574**

System Name: **WELL TRAILER PARK THE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300574-001**

Source Name: **THE WELL TRAILER PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300575**

**System Name: DATE GARDENS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300575-001**

**Source Name: DATE GARDENS MOBILE HOME PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300575**

**System Name: DATE GARDENS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300575-001**

**Source Name: DATE GARDENS MOBILE HOME PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300575

**System Name:** DATE GARDENS MOBILE HOME PARK

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300575-001

**Source Name:** DATE GARDENS MOBILE HOME PARK

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300575**

**System Name: DATE GARDENS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300575-001**

**Source Name: DATE GARDENS MOBILE HOME PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300575**

**System Name: DATE GARDENS MOBILE HOME PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300575-001**

**Source Name: DATE GARDENS MOBILE HOME PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300578**

**System Name: WESTSIDE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300578-001**

**Source Name: WESTSIDE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300578**

**System Name: WESTSIDE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300578-001**

**Source Name: WESTSIDE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300578**

**System Name: WESTSIDE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300578-001**

**Source Name: WESTSIDE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300578**

**System Name: WESTSIDE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300578-001**

**Source Name: WESTSIDE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300578**

**System Name: WESTSIDE SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300578-001**

**Source Name: WESTSIDE UNION SCHOOL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-001**

**Source Name: EUCALYPTUS CANAL LAT 12**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-001**

**Source Name: EUCALYPTUS CANAL LAT 12**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-001**

**Source Name: EUCALYPTUS CANAL LAT 12**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-001**

**Source Name: EUCALYPTUS CANAL LAT 12**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-001**

**Source Name: EUCALYPTUS CANAL LAT 12**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

**PS Code: 1300579-002**

**Source Name: CENTRAL CANAL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED

**INORGANIC**

ALUMINUM

01105 WAIVED

ANTIMONY

01097 WAIVED

ARSENIC

01002 WAIVED

ASBESTOS

81855 WAIVED

BARIUM

01007 WAIVED

BERYLLIUM

01012 WAIVED

CADMIUM

01027 WAIVED

CHROMIUM (TOTAL)

01034 WAIVED

CYANIDE

01291 WAIVED

FLUORIDE (F) (NATURAL-SOURCE)

00951 WAIVED

LEAD

01051 WAIVED

MERCURY

71900 WAIVED

NICKEL

01067 WAIVED

PERCHLORATE

A-031 WAIVED

SELENIUM

01147 WAIVED

THALLIUM

01059 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-002**

**Source Name: CENTRAL CANAL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-002**

**Source Name: CENTRAL CANAL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-002**

**Source Name: CENTRAL CANAL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300579**

**System Name: MCCABE UNION SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300579-002**

**Source Name: CENTRAL CANAL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300588**  
System Name: **IID VILLAGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300588-001**

Source Name: **IID VILLAGE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

<b>DIAZINON</b>	39570	000			<b>DUE</b>
-----------------	-------	-----	--	--	------------

**INORGANIC**

<b>ALUMINUM</b>	01105	000			<b>DUE</b>
<b>ANTIMONY</b>	01097	000			<b>DUE</b>
<b>ARSENIC</b>	01002	000			<b>DUE</b>
ASBESTOS	81855	WAIVED			
<b>BARIUM</b>	01007	000			<b>DUE</b>
<b>BERYLLIUM</b>	01012	000			<b>DUE</b>
<b>CADMIUM</b>	01027	000			<b>DUE</b>
<b>CHROMIUM (TOTAL)</b>	01034	000			<b>DUE</b>
<b>CYANIDE</b>	01291	000			<b>DUE</b>
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	000			<b>DUE</b>
<b>LEAD</b>	01051	000			<b>DUE</b>
<b>MERCURY</b>	71900	000			<b>DUE</b>
<b>NICKEL</b>	01067	000			<b>DUE</b>
<b>PERCHLORATE</b>	A-031	000			<b>DUE</b>
<b>SELENIUM</b>	01147	000			<b>DUE</b>
<b>THALLIUM</b>	01059	000			<b>DUE</b>

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2006/09/14	.000	2007/09	<b>DUE</b>
<b>NITRITE (AS N)</b>	00620	000				<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	036	2007/09/26	12.800	2010/09	<b>DUE</b>
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED	2007/09/26	.073		
RADIUM 228	11501	WAIVED	2007/09/26	.289		

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
999 = Waived testing (not required)  
I = Invalid (NOT) valid analyses reported

System Number: **1300588**

System Name: **IID VILLAGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300588-001**

Source Name: **IID VILLAGE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED	2007/09/26	14.500

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
2,4,5-TP (SILVEX)	39045	000		DUE
2,4-D	39730	000		DUE
ALACHLOR	77825	000		DUE
ATRAZINE	39033	000		DUE
BENTAZON	38710	000		DUE
BENZO (A) PYRENE	34247	000		DUE
CARBOFURAN	81405	000		DUE
CHLORDANE	39350	000		DUE
DALAPON	38432	000		DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000		DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000		DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000		DUE
DINOSEB	81287	000		DUE
DIQUAT	78885	000		DUE
ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	000		DUE
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	000		DUE
HEPTACHLOR EPOXIDE	39420	000		DUE
HEXACHLOROBENZENE	39700	000		DUE
HEXACHLOROCYCLOPENTADIENE	34386	000		DUE
LINDANE	39340	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300588**

System Name: **IID VILLAGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300588-001**

Source Name: **IID VILLAGE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	000		DUE
MOLINATE	82199	000		DUE
OXAMYL	38865	000		DUE
PENTACHLOROPHENOL	39032	000		DUE
PICLORAM	39720	000		DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000		DUE
SIMAZINE	39055	000		DUE
THIOBENCARB	A-001	000		DUE
TOXAPHENE	39400	000		DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000		DUE
1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300588**

System Name: **IID VILLAGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300588-001**

Source Name: **IID VILLAGE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300588**

System Name: **IID VILLAGE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300588-001**

Source Name: **IID VILLAGE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300591**

System Name: **IID DROP FOUR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300591-001**

Source Name: **IID-DROP 4**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

<b>DIAZINON</b>	39570	000		<b>DUE</b>
-----------------	-------	-----	--	------------

**INORGANIC**

<b>ALUMINUM</b>	01105	000		<b>DUE</b>
<b>ANTIMONY</b>	01097	000		<b>DUE</b>
<b>ARSENIC</b>	01002	000		<b>DUE</b>
ASBESTOS	81855	WAIVED		
<b>BARIUM</b>	01007	000		<b>DUE</b>
<b>BERYLLIUM</b>	01012	000		<b>DUE</b>
<b>CADMIUM</b>	01027	000		<b>DUE</b>
<b>CHROMIUM (TOTAL)</b>	01034	000		<b>DUE</b>
<b>CYANIDE</b>	01291	000		<b>DUE</b>
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	000		<b>DUE</b>
<b>LEAD</b>	01051	000		<b>DUE</b>
<b>MERCURY</b>	71900	000		<b>DUE</b>
<b>NICKEL</b>	01067	000		<b>DUE</b>
<b>PERCHLORATE</b>	A-031	000		<b>DUE</b>
<b>SELENIUM</b>	01147	000		<b>DUE</b>
<b>THALLIUM</b>	01059	000		<b>DUE</b>

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	000		<b>DUE</b>
<b>NITRITE (AS N)</b>	00620	000		<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	000		<b>DUE</b>
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300591**

System Name: **IID DROP FOUR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300591-001**

Source Name: **IID-DROP 4**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	
<b>2,4,5-TP (SILVEX)</b>	39045	000	<b>DUE</b>
<b>2,4-D</b>	39730	000	<b>DUE</b>
<b>ALACHLOR</b>	77825	000	<b>DUE</b>
<b>ATRAZINE</b>	39033	000	<b>DUE</b>
<b>BENTAZON</b>	38710	000	<b>DUE</b>
<b>BENZO (A) PYRENE</b>	34247	000	<b>DUE</b>
<b>CARBOFURAN</b>	81405	000	<b>DUE</b>
<b>CHLORDANE</b>	39350	000	<b>DUE</b>
<b>DALAPON</b>	38432	000	<b>DUE</b>
<b>DI(2-ETHYLHEXYL)ADIPATE</b>	A-026	000	<b>DUE</b>
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	39100	000	<b>DUE</b>
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	38761	000	<b>DUE</b>
<b>DINOSEB</b>	81287	000	<b>DUE</b>
<b>DIQUAT</b>	78885	000	<b>DUE</b>
ENDOTHALL	38926	WAIVED	
ENDRIN	39390	WAIVED	
<b>ETHYLENE DIBROMIDE (EDB)</b>	77651	000	<b>DUE</b>
GLYPHOSATE	79743	WAIVED	
<b>HEPTACHLOR</b>	39410	000	<b>DUE</b>
<b>HEPTACHLOR EPOXIDE</b>	39420	000	<b>DUE</b>
<b>HEXACHLOROBENZENE</b>	39700	000	<b>DUE</b>
<b>HEXACHLOROCYCLOPENTADIENE</b>	34386	000	<b>DUE</b>
<b>LINDANE</b>	39340	000	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300591**

System Name: **IID DROP FOUR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300591-001**

Source Name: **IID-DROP 4**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	000		DUE
MOLINATE	82199	000		DUE
OXAMYL	38865	000		DUE
PENTACHLOROPHENOL	39032	000		DUE
PICLORAM	39720	000		DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000		DUE
SIMAZINE	39055	000		DUE
THIOBENCARB	A-001	000		DUE
TOXAPHENE	39400	000		DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000		DUE
1,1,2,2-TETRACHLOROETHANE	34516	000		DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000		DUE
1,1,2-TRICHLOROETHANE	34511	000		DUE
1,1-DICHLOROETHANE	34496	000		DUE
1,1-DICHLOROETHYLENE	34501	000		DUE
1,2,4-TRICHLOROBENZENE	34551	000		DUE
1,2-DICHLOROBENZENE	34536	000		DUE
1,2-DICHLOROETHANE	34531	000		DUE
1,2-DICHLOROPROPANE	34541	000		DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000		DUE
1,4-DICHLOROBENZENE	34571	000		DUE
BENZENE	34030	000		DUE
CARBON TETRACHLORIDE	32102	000		DUE
CIS-1,2-DICHLOROETHYLENE	77093	000		DUE
DICHLOROMETHANE	34423	000		DUE
ETHYLBENZENE	34371	000		DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000		DUE
MONOCHLOROBENZENE	34301	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300591**

System Name: **IID DROP FOUR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300591-001**

Source Name: **IID-DROP 4**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300591**

System Name: **IID DROP FOUR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300591-001**

Source Name: **IID-DROP 4**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300614**

**System Name: WIEST LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300614-001**

**Source Name: WIEST LAKE COUNTY CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300614**

**System Name: WIEST LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300614-001**

**Source Name: WIEST LAKE COUNTY CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300614

**System Name:** WIEST LAKE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300614-001

**Source Name:** WIEST LAKE COUNTY CAMP-GROUND

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300614**

**System Name: WIEST LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300614-001**

**Source Name: WIEST LAKE COUNTY CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300614**

**System Name: WIEST LAKE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300614-001**

**Source Name: WIEST LAKE COUNTY CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300616-001**

Source Name: **NORTH WELL**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

<b>DIAZINON</b>	39570	000				<b>DUE</b>
-----------------	-------	-----	--	--	--	------------

**INORGANIC**

<b>ALUMINUM</b>	01105	036	2007/09/26	.000	2010/09	<b>DUE</b>
<b>ANTIMONY</b>	01097	036	2003/06/12	.000	2006/06	<b>DUE</b>
<b>ARSENIC</b>	01002	036	2007/09/26	.000	2010/09	<b>DUE</b>
ASBESTOS	81855	WAIVED				
<b>BARIUM</b>	01007	036	2007/09/26	130.000	2010/09	<b>DUE</b>
<b>BERYLLIUM</b>	01012	036	2003/06/12	.000	2006/06	<b>DUE</b>
<b>CADMIUM</b>	01027	036	2007/09/26	.000	2010/09	<b>DUE</b>
<b>CHROMIUM (TOTAL)</b>	01034	036	2007/09/26	.000	2010/09	<b>DUE</b>
CYANIDE	01291	WAIVED	2003/06/12	.000		
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	036	2007/09/26	.430	2010/09	<b>DUE</b>
<b>LEAD</b>	01051	036	2007/09/26	.000	2010/09	<b>DUE</b>
<b>MERCURY</b>	71900	036	2007/09/26	.000	2010/09	<b>DUE</b>
<b>NICKEL</b>	01067	036	2003/06/12	.000	2006/06	<b>DUE</b>
<b>PERCHLORATE</b>	A-031	000				<b>DUE</b>
<b>SELENIUM</b>	01147	036	2007/09/26	.000	2010/09	<b>DUE</b>
<b>THALLIUM</b>	01059	036	2003/06/12	.000	2006/06	<b>DUE</b>

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2007/09/26	.000	2008/09	<b>DUE</b>
<b>NITRITE (AS N)</b>	00620	036	2007/09/26	.000	2010/09	<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	01501	036	2003/06/12	2.860	2006/06	<b>DUE</b>
GROSS BETA	03501	WAIVED				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED				
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED				
RADIUM 226	09501	WAIVED				
RADIUM 228	11501	WAIVED				

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300616-001**

Source Name: **NORTH WELL**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	
2,4,5-TP (SILVEX)	39045	000	DUE
2,4-D	39730	000	DUE
ALACHLOR	77825	000	DUE
ATRAZINE	39033	000	DUE
BENTAZON	38710	000	DUE
BENZO (A) PYRENE	34247	000	DUE
CARBOFURAN	81405	000	DUE
CHLORDANE	39350	000	DUE
DALAPON	38432	000	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000	DUE
DI(2-ETHYLHEXYL)PHTHALATE	39100	000	DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000	DUE
DINOSEB	81287	000	DUE
DIQUAT	78885	000	DUE
ENDOTHALL	38926	WAIVED	
ENDRIN	39390	WAIVED	
ETHYLENE DIBROMIDE (EDB)	77651	000	DUE
GLYPHOSATE	79743	WAIVED	
HEPTACHLOR	39410	000	DUE
HEPTACHLOR EPOXIDE	39420	000	DUE
HEXACHLOROBENZENE	39700	000	DUE
HEXACHLOROCYCLOPENTADIENE	34386	000	DUE
LINDANE	39340	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300616**

**System Name: PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300616-001**

**Source Name: NORTH WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	000			DUE
MOLINATE	82199	000			DUE
OXAMYL	38865	000			DUE
PENTACHLOROPHENOL	39032	000			DUE
PICLORAM	39720	000			DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000			DUE
SIMAZINE	39055	000			DUE
THIOBENCARB	A-001	000			DUE
TOXAPHENE	39400	000			DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	036	2003/06/12	.000	2006/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2003/06/12	.000	2006/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2003/06/12	.000	2006/06	DUE
1,1,2-TRICHLOROETHANE	34511	036	2003/06/12	.000	2006/06	DUE
1,1-DICHLOROETHANE	34496	036	2003/06/12	.000	2006/06	DUE
1,1-DICHLOROETHYLENE	34501	036	2003/06/12	.000	2006/06	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2003/06/12	.000	2006/06	DUE
1,2-DICHLOROBENZENE	34536	036	2003/06/12	.000	2006/06	DUE
1,2-DICHLOROETHANE	34531	036	2003/06/12	.000	2006/06	DUE
1,2-DICHLOROPROPANE	34541	036	2003/06/12	.000	2006/06	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	036	2003/06/12	.000	2006/06	DUE
1,4-DICHLOROBENZENE	34571	036	2003/06/12	.000	2006/06	DUE
BENZENE	34030	036	2003/06/12	.000	2006/06	DUE
CARBON TETRACHLORIDE	32102	036	2003/06/12	.000	2006/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2003/06/12	.000	2006/06	DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	036	2003/06/12	.000	2006/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2003/06/12	.000	2006/06	DUE
MONOCHLOROBENZENE	34301	000				DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300616-001**

Source Name: **NORTH WELL**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	036	2003/06/12	.000	2006/06	DUE
TETRACHLOROETHYLENE	34475	036	2003/06/12	.000	2006/06	DUE
TOLUENE	34010	036	2003/06/12	.000	2006/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2003/06/12	.000	2006/06	DUE
TRICHLOROETHYLENE	39180	036	2003/06/12	.000	2006/06	DUE
TRICHLOROFLUOROMETHANE	34488	036	2003/06/12	.000	2006/06	DUE
VINYL CHLORIDE	39175	036	2003/06/12	.000	2006/06	DUE
XYLENES (TOTAL)	81551	036	2003/06/12	.000	2006/06	DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	036	2007/09/26	255.000	2010/09	DUE
CALCIUM	00916	036	2007/09/26	109.000	2010/09	DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036	2007/09/26	152.000	2010/09	DUE
COLOR	00081	036	2007/09/26	.000	2010/09	DUE
COPPER	01042	036	2007/09/26	.000	2010/09	DUE
FOAMING AGENTS (MBAS)	38260	036	2007/09/26	.000	2010/09	DUE
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	036	2007/09/26	420.000	2010/09	DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036	2007/09/26	370.000	2010/09	DUE
MAGNESIUM	00927	036	2007/09/26	53.000	2010/09	DUE
MANGANESE	01055	036	2007/09/26	170.000	2010/09	DUE
ODOR THRESHOLD @ 60 C	00086	036	2007/09/26	.000	2010/09	DUE
PH, LABORATORY	00403	036	2007/09/26	7.960	2010/09	DUE
SILVER	01077	036	2007/09/26	.000	2010/09	DUE
SODIUM	00929	036	2007/09/26	200.000	2010/09	DUE
SPECIFIC CONDUCTANCE	00095	036	2007/09/26	1479.000	2010/09	DUE
SULFATE	00945	036	2007/09/26	450.000	2010/09	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2007/09/26	991.000	2010/09	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>	
<b>PS Code: 1300616-001</b>						
<b>Source Name: NORTH WELL</b>						
<b>Source Number: 001</b>						
<b>Source Status: ACTIVE RAW</b>						
<b>Water type: GROUNDWATER OR WELL</b>						
<u>SECONDARY/GP</u>						
<b>TURBIDITY, LABORATORY</b>	82079	036	2007/09/26	.000	2010/09	DUE
<b>ZINC</b>	01092	036	2007/09/26	.000	2010/09	DUE

**PS Code: 1300616-002**

**Source Name: SOUTH WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

GENERAL NON CHAP 15

<b>DIAZINON</b>	39570	000				DUE
-----------------	-------	-----	--	--	--	-----

INORGANIC

<b>ALUMINUM</b>	01105	036	2007/09/26	.000	2010/09	DUE
<b>ANTIMONY</b>	01097	036	2003/06/12	.000	2006/06	DUE
<b>ARSENIC</b>	01002	036	2007/09/26	.000	2010/09	DUE
<b>ASBESTOS</b>	81855	WAIVED				
<b>BARIUM</b>	01007	036	2007/09/26	110.000	2010/09	DUE
<b>BERYLLIUM</b>	01012	036	2003/06/12	.000	2006/06	DUE
<b>CADMIUM</b>	01027	036	2007/09/26	.000	2010/09	DUE
<b>CHROMIUM (TOTAL)</b>	01034	036	2007/09/26	.000	2010/09	DUE
<b>CYANIDE</b>	01291	WAIVED	2003/06/12	.000		
<b>FLUORIDE (F) (NATURAL-SOURCE)</b>	00951	036	2007/09/26	.400	2010/09	DUE
<b>LEAD</b>	01051	036	2007/09/26	.000	2010/09	DUE
<b>MERCURY</b>	71900	036	2007/09/26	.000	2010/09	DUE
<b>NICKEL</b>	01067	000				DUE
<b>PERCHLORATE</b>	A-031	000				DUE
<b>SELENIUM</b>	01147	036	2007/09/26	.000	2010/09	DUE
<b>THALLIUM</b>	01059	036	2003/06/12	.000	2006/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300616-002**

Source Name: **SOUTH WELL**

Source Number: **002**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	<b>71850</b>	<b>012</b>	<b>2007/09/26</b>	<b>.000</b>	<b>2008/09</b>	<b>DUE</b>
<b>NITRITE (AS N)</b>	<b>00620</b>	<b>036</b>	<b>2007/09/26</b>	<b>.000</b>	<b>2010/09</b>	<b>DUE</b>

**RADIOLOGICAL**

<b>GROSS ALPHA</b>	<b>01501</b>	<b>036</b>	<b>2003/06/12</b>	<b>2.850</b>	<b>2006/06</b>	<b>DUE</b>
GROSS BETA	<b>03501</b>	<b>WAIVED</b>				
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	<b>A-080</b>	<b>WAIVED</b>				
RA-226 OR TOTAL RA BY 903.0 C.E.	<b>A-081</b>	<b>WAIVED</b>				
RADIUM 226	<b>09501</b>	<b>WAIVED</b>				
RADIUM 228	<b>11501</b>	<b>WAIVED</b>				
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	<b>A-082</b>	<b>WAIVED</b>				
STRONTIUM-90	<b>13501</b>	<b>WAIVED</b>				
TRITIUM	<b>07000</b>	<b>WAIVED</b>				
URANIUM (PCI/L)	<b>28012</b>	<b>WAIVED</b>				

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	<b>34676</b>	<b>WAIVED</b>				
<b>2,4,5-TP (SILVEX)</b>	<b>39045</b>	<b>000</b>				<b>DUE</b>
<b>2,4-D</b>	<b>39730</b>	<b>000</b>				<b>DUE</b>
<b>ALACHLOR</b>	<b>77825</b>	<b>000</b>				<b>DUE</b>
<b>ATRAZINE</b>	<b>39033</b>	<b>000</b>				<b>DUE</b>
<b>BENTAZON</b>	<b>38710</b>	<b>000</b>				<b>DUE</b>
<b>BENZO (A) PYRENE</b>	<b>34247</b>	<b>000</b>				<b>DUE</b>
<b>CARBOFURAN</b>	<b>81405</b>	<b>000</b>				<b>DUE</b>
<b>CHLORDANE</b>	<b>39350</b>	<b>000</b>				<b>DUE</b>
<b>DALAPON</b>	<b>38432</b>	<b>000</b>				<b>DUE</b>
<b>DI(2-ETHYLHEXYL)ADIPATE</b>	<b>A-026</b>	<b>000</b>				<b>DUE</b>
<b>DI(2-ETHYLHEXYL)PHTHALATE</b>	<b>39100</b>	<b>000</b>				<b>DUE</b>
<b>DIBROMOCHLOROPROPANE (DBCP)</b>	<b>38761</b>	<b>000</b>				<b>DUE</b>
<b>DINOSEB</b>	<b>81287</b>	<b>000</b>				<b>DUE</b>
<b>DIQUAT</b>	<b>78885</b>	<b>000</b>				<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300616-002**

Source Name: **SOUTH WELL**

Source Number: **002**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	000		DUE
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	000		DUE
HEPTACHLOR EPOXIDE	39420	000		DUE
HEXACHLOROBENZENE	39700	000		DUE
HEXACHLOROCYCLOPENTADIENE	34386	000		DUE
LINDANE	39340	000		DUE
METHOXYCHLOR	39480	000		DUE
MOLINATE	82199	000		DUE
OXAMYL	38865	000		DUE
PENTACHLOROPHENOL	39032	000		DUE
PICLORAM	39720	000		DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	000		DUE
SIMAZINE	39055	000		DUE
THIOBENCARB	A-001	000		DUE
TOXAPHENE	39400	000		DUE

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	036	2003/06/12	.000	2006/06	DUE
1,1,2,2-TETRACHLOROETHANE	34516	036	2003/06/12	.000	2006/06	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	036	2003/06/12	.000	2006/06	DUE
1,1,2-TRICHLOROETHANE	34511	036	2003/06/12	.000	2006/06	DUE
1,1-DICHLOROETHANE	34496	036	2003/06/12	.000	2006/06	DUE
1,1-DICHLOROETHYLENE	34501	036	2003/06/12	.000	2006/06	DUE
1,2,4-TRICHLOROBENZENE	34551	036	2003/06/12	.000	2006/06	DUE
1,2-DICHLOROBENZENE	34536	036	2003/06/12	.000	2006/06	DUE
1,2-DICHLOROETHANE	34531	000				DUE
1,2-DICHLOROPROPANE	34541	036	2003/06/12	.000	2006/06	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300616**

**System Name: PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300616-002**

**Source Name: SOUTH WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	036	2003/06/12	.000	2006/06	DUE
1,4-DICHLOROBENZENE	34571	036	2003/06/12	.000	2006/06	DUE
BENZENE	34030	036	2003/06/12	.000	2006/06	DUE
CARBON TETRACHLORIDE	32102	036	2003/06/12	.000	2006/06	DUE
CIS-1,2-DICHLOROETHYLENE	77093	036	2003/06/12	.000	2006/06	DUE
DICHLOROMETHANE	34423	000				DUE
ETHYLBENZENE	34371	036	2003/06/12	.000	2006/06	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	036	2003/06/12	.000	2006/06	DUE
MONOCHLOROBENZENE	34301	000				DUE
STYRENE	77128	036	2003/06/12	.000	2006/06	DUE
TETRACHLOROETHYLENE	34475	036	2003/06/12	.000	2006/06	DUE
TOLUENE	34010	036	2003/06/12	.000	2006/06	DUE
TRANS-1,2-DICHLOROETHYLENE	34546	036	2003/06/12	.000	2006/06	DUE
TRICHLOROETHYLENE	39180	036	2003/06/12	.000	2006/06	DUE
TRICHLOROFLUOROMETHANE	34488	036	2003/06/12	.000	2006/06	DUE
VINYL CHLORIDE	39175	036	2003/06/12	.000	2006/06	DUE
XYLENES (TOTAL)	81551	036	2003/06/12	.000	2006/06	DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000				DUE
BICARBONATE ALKALINITY	00440	036	2007/09/26	250.000	2010/09	DUE
CALCIUM	00916	036	2007/09/26	100.000	2010/09	DUE
CARBONATE ALKALINITY	00445	000				DUE
CHLORIDE	00940	036	2007/09/26	160.000	2010/09	DUE
COLOR	00081	036	2007/09/26	.000	2010/09	DUE
COPPER	01042	036	2007/09/26	.000	2010/09	DUE
FOAMING AGENTS (MBAS)	38260	036	2007/09/26	.000	2010/09	DUE
HARDNESS (TOTAL) AS CaCO3	00900	036	2007/09/26	448.000	2010/09	DUE
HYDROXIDE ALKALINITY	71830	000				DUE
IRON	01045	036	2007/09/26	220.000	2010/09	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300616**

System Name: **PALO VERDE COUNTY WATER DIST.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300616-002**

Source Name: **SOUTH WELL**

Source Number: **002**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**SECONDARY/GP**

MAGNESIUM	00927	036	2007/09/26	48.000	2010/09	DUE
MANGANESE	01055	036	2007/09/26	120.000	2010/09	DUE
ODOR THRESHOLD @ 60 C	00086	036	2007/09/26	.000	2010/09	DUE
PH, LABORATORY	00403	036	2007/09/26	7.410	2010/09	DUE
SILVER	01077	036	2007/09/26	.000	2010/09	DUE
SODIUM	00929	036	2007/09/26	200.000	2010/09	DUE
SPECIFIC CONDUCTANCE	00095	036	2007/09/26	1431.000	2010/09	DUE
SULFATE	00945	036	2007/09/26	450.000	2010/09	DUE
TOTAL DISSOLVED SOLIDS	70300	036	2007/09/26	932.000	2010/09	DUE
TURBIDITY, LABORATORY	82079	036	2007/09/26	.000	2010/09	DUE
ZINC	01092	036	2007/09/26	.000	2010/09	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300617**

System Name: **SOUTH MESA CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300617-001**

Source Name: **SOUTH MESA CAMP-GROUND**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	
----------	-------	--------	--

**INORGANIC**

ALUMINUM	01105	WAIVED	
ANTIMONY	01097	WAIVED	
ARSENIC	01002	000	DUE
ASBESTOS	81855	WAIVED	
BARIUM	01007	000	DUE
BERYLLIUM	01012	WAIVED	
CADMIUM	01027	000	DUE
CHROMIUM (TOTAL)	01034	000	DUE
CYANIDE	01291	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	DUE
LEAD	01051	WAIVED	
MERCURY	71900	000	DUE
NICKEL	01067	WAIVED	
PERCHLORATE	A-031	WAIVED	
SELENIUM	01147	000	DUE
THALLIUM	01059	WAIVED	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000	DUE
NITRITE (AS N)	00620	000	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300617**

**System Name: SOUTH MESA CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300617-001**

**Source Name: SOUTH MESA CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300617**

**System Name: SOUTH MESA CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300617-001**

**Source Name: SOUTH MESA CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300617**

**System Name: SOUTH MESA CAMPGROUND**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300617-001**

**Source Name: SOUTH MESA CAMP-GROUND**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300617**

System Name: **SOUTH MESA CAMPGROUND**

<u>STORET</u> <u>NUMBER</u>	<u>TESTING</u> <u>INTERVAL</u> <u>(MONTHS)*</u>	<u>LAST TEST</u> <u>DATE</u> <u>(yyyy/mm/dd)</u>	<u>LAST RESULT</u> <u>REPORTED</u>	<u>NEXT TEST</u> <u>DATE</u> <u>(yyyy/mm)</u>
--------------------------------	-------------------------------------------------------	--------------------------------------------------------	---------------------------------------	-----------------------------------------------------

PS Code: **1300617-001**

Source Name: **SOUTH MESA CAMP-GROUND**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300620**

**System Name: RIO BEND RV GOLF RESORT & STORM CROSSING**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300620-001**

**Source Name: RIO BEND RV PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300620**

**System Name: RIO BEND RV GOLF RESORT & STORM CROSSING**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300620-001**

**Source Name: RIO BEND RV PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300620**

**System Name: RIO BEND RV GOLF RESORT & STORM CROSSING**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300620-001**

**Source Name: RIO BEND RV PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300620**

**System Name: RIO BEND RV GOLF RESORT & STORM CROSSING**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300620-001**

**Source Name: RIO BEND RV PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300620**

**System Name: RIO BEND RV GOLF RESORT & STORM CROSSING**

<u>STORET</u> <u>NUMBER</u>	<u>TESTING</u> <u>INTERVAL</u> <u>(MONTHS)*</u>	<u>LAST TEST</u> <u>DATE</u> <u>(yyyy/mm/dd)</u>	<u>LAST RESULT</u> <u>REPORTED</u>	<u>NEXT TEST</u> <u>DATE</u> <u>(yyyy/mm)</u>
--------------------------------	-------------------------------------------------------	--------------------------------------------------------	---------------------------------------	-----------------------------------------------------

**PS Code: 1300620-001**

**Source Name: RIO BEND RV PARK**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300622**

**System Name: SPORTSMANS PARADISE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300622-001**

**Source Name: SPROTSMAN S PARADISE**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED		
MERCURY	71900	000		DUE
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	000		DUE
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300622**

**System Name: SPORTSMANS PARADISE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300622-001**

**Source Name: SPROTSMAN S PARADISE**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300622

**System Name:** SPORTSMANS PARADISE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300622-001

**Source Name:** SPROTSMAN S PARADISE

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300622**

System Name: **SPORTSMANS PARADISE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300622-001**

Source Name: **SPROTSMAN S PARADISE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300622**

System Name: **SPORTSMANS PARADISE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300622-001**

Source Name: **SPROTSMAN S PARADISE**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300624**

System Name: **GORDON S WELL #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300624-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED		
MERCURY	71900	000		DUE
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	000		DUE
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300624**

**System Name: GORDON S WELL #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300624-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300624**

**System Name: GORDON S WELL #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300624-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300624**

System Name: **GORDON S WELL #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300624-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300624**

System Name: **GORDON S WELL #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300624-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300625**

**System Name: ONE-ELEVEN TRUCK PLAZA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300625-001**

**Source Name: ALDER CANAL LATERAL 7, GATE 74**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300625**

**System Name: ONE-ELEVEN TRUCK PLAZA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300625-001**

**Source Name: ALDER CANAL LATERAL 7, GATE 74**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300625

**System Name:** ONE-ELEVEN TRUCK PLAZA

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300625-001

**Source Name:** ALDER CANAL LATERAL 7, GATE 74

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300625**

**System Name: ONE-ELEVEN TRUCK PLAZA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300625-001**

**Source Name: ALDER CANAL LATERAL 7, GATE 74**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300625**

**System Name: ONE-ELEVEN TRUCK PLAZA**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300625-001**

**Source Name: ALDER CANAL LATERAL 7, GATE 74**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300626**

**System Name: SUNBEAM LAKE RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300626-001**

**Source Name: RECEIVES WATER FROM SEELEY WATER PLANT**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300626**

**System Name: SUNBEAM LAKE RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300626-001**

**Source Name: RECEIVES WATER FROM SEELEY WATER PLANT**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300626**

**System Name: SUNBEAM LAKE RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300626-001**

**Source Name: RECEIVES WATER FROM SEELEY WATER PLANT**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300626**

**System Name: SUNBEAM LAKE RV RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300626-001**

**Source Name: RECEIVES WATER FROM SEELEY WATER PLANT**

**Source Number: 001**

**Source Status: PURCHASED TREATED**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300626

**System Name:** SUNBEAM LAKE RV RESORT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300626-001

**Source Name:** RECEIVES WATER FROM SEELEY WATER PLANT

**Source Number:** 001

**Source Status:** PURCHASED TREATED

**Water type:** SURFACE

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300627**

System Name: **CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300627-001**

Source Name: **EAST WELL**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED		
MERCURY	71900	000		DUE
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	000		DUE
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300627

**System Name:** CENTER OF THE WORLD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300627-001

**Source Name:** EAST WELL

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300627

**System Name:** CENTER OF THE WORLD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300627-001

**Source Name:** EAST WELL

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300627**

System Name: **CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300627-001**

Source Name: **EAST WELL**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
<b>BICARBONATE ALKALINITY</b>	00440	000	<b>DUE</b>
<b>CALCIUM</b>	00916	000	<b>DUE</b>
<b>CARBONATE ALKALINITY</b>	00445	000	<b>DUE</b>
<b>CHLORIDE</b>	00940	000	<b>DUE</b>
<b>COLOR</b>	00081	000	<b>DUE</b>
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	000	<b>DUE</b>
<b>HYDROXIDE ALKALINITY</b>	71830	000	<b>DUE</b>
<b>IRON</b>	01045	000	<b>DUE</b>
<b>MAGNESIUM</b>	00927	000	<b>DUE</b>
<b>MANGANESE</b>	01055	000	<b>DUE</b>
<b>ODOR THRESHOLD @ 60 C</b>	00086	000	<b>DUE</b>
<b>PH, LABORATORY</b>	00403	000	<b>DUE</b>
<b>SILVER</b>	01077	000	<b>DUE</b>
<b>SODIUM</b>	00929	000	<b>DUE</b>
<b>SPECIFIC CONDUCTANCE</b>	00095	000	<b>DUE</b>
<b>SULFATE</b>	00945	000	<b>DUE</b>
<b>TOTAL DISSOLVED SOLIDS</b>	70300	000	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300627**

System Name: **CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1300627-001</b>				
<b>Source Name: EAST WELL</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: GROUNDWATER OR WELL</b>				
<b>SECONDARY/GP</b>				
<b>TURBIDITY, LABORATORY</b>	82079	000		<b>DUE</b>
<b>ZINC</b>	01092	000		<b>DUE</b>

PS Code: **1300627-002**

Source Name: **WEST WELL**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON 39570 WAIVED

**INORGANIC**

ALUMINUM	01105	WAIVED	
ANTIMONY	01097	WAIVED	
ARSENIC	01002	000	<b>DUE</b>
ASBESTOS	81855	WAIVED	
BARIUM	01007	000	<b>DUE</b>
BERYLLIUM	01012	WAIVED	
CADMIUM	01027	000	<b>DUE</b>
CHROMIUM (TOTAL)	01034	000	<b>DUE</b>
CYANIDE	01291	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	<b>DUE</b>
LEAD	01051	WAIVED	
MERCURY	71900	000	<b>DUE</b>
NICKEL	01067	WAIVED	
PERCHLORATE	A-031	WAIVED	
SELENIUM	01147	000	<b>DUE</b>
THALLIUM	01059	WAIVED	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300627**

**System Name: CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300627-002**

**Source Name: WEST WELL**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	000		<b>DUE</b>
<b>NITRITE (AS N)</b>	00620	000		<b>DUE</b>

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300627**

**System Name: CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300627-002**

**Source Name: WEST WELL**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300627**

**System Name: CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300627-002**

**Source Name: WEST WELL**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
<b>BICARBONATE ALKALINITY</b>	00440	000	<b>DUE</b>
<b>CALCIUM</b>	00916	000	<b>DUE</b>
<b>CARBONATE ALKALINITY</b>	00445	000	<b>DUE</b>
<b>CHLORIDE</b>	00940	000	<b>DUE</b>
<b>COLOR</b>	00081	000	<b>DUE</b>
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
<b>HARDNESS (TOTAL) AS CaCO3</b>	00900	000	<b>DUE</b>
<b>HYDROXIDE ALKALINITY</b>	71830	000	<b>DUE</b>
<b>IRON</b>	01045	000	<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300627**

System Name: **CENTER OF THE WORLD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300627-002**

Source Name: **WEST WELL**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE
TURBIDITY, LABORATORY	82079	000		DUE
ZINC	01092	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300628**

**System Name: IMPERIAL LAKES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300628-001**

**Source Name: CANAL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300628**

**System Name: IMPERIAL LAKES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300628-001**

**Source Name: CANAL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300628**

**System Name: IMPERIAL LAKES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300628-001**

**Source Name: CANAL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300628**

**System Name: IMPERIAL LAKES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300628-001**

**Source Name: CANAL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300628**

**System Name: IMPERIAL LAKES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300628-001**

**Source Name: CANAL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300629**

**System Name: JACKSON HIDE-A-WAY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300629-001**

**Source Name: JACKSON HIDE-A-WAY**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED	2004/06/30	.000
ANTIMONY	01097	WAIVED	2004/06/30	.000
ARSENIC	01002	WAIVED	2004/06/30	4.900
ASBESTOS	81855	WAIVED		
BARIUM	01007	WAIVED	2004/06/30	.000
BERYLLIUM	01012	WAIVED	2004/06/30	.000
CADMIUM	01027	WAIVED	2004/06/30	.000
CHROMIUM (TOTAL)	01034	WAIVED	2004/06/30	.000
CYANIDE	01291	WAIVED	2004/06/30	.000
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2004/06/30	.830
LEAD	01051	WAIVED	2004/06/30	.000
MERCURY	71900	WAIVED	2004/06/30	.000
NICKEL	01067	WAIVED	2004/06/30	.000
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	WAIVED	2004/06/30	.000
THALLIUM	01059	WAIVED	2004/06/30	.000

**NITRATE/NITRITE**

<b>NITRATE (AS NO3)</b>	71850	012	2004/06/30	12.000	2005/06	DUE
<b>NITRITE (AS N)</b>	00620	036	2004/06/30	.000	2007/06	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	2004/06/30	.000
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300629**

**System Name: JACKSON HIDE-A-WAY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300629-001**

**Source Name: JACKSON HIDE-A-WAY**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED		

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
2,4,5-TP (SILVEX)	39045	WAIVED		
2,4-D	39730	WAIVED		
ALACHLOR	77825	WAIVED		
ATRAZINE	39033	WAIVED	2004/06/30	.000
BENTAZON	38710	WAIVED		
BENZO (A) PYRENE	34247	WAIVED		
CARBOFURAN	81405	WAIVED		
CHLORDANE	39350	WAIVED		
DALAPON	38432	WAIVED		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED		
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED		
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED		
DINOSEB	81287	WAIVED		
DIQUAT	78885	WAIVED		
ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED		
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	WAIVED		
HEPTACHLOR EPOXIDE	39420	WAIVED		
HEXACHLOROBENZENE	39700	WAIVED		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED		
LINDANE	39340	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300629**

**System Name: JACKSON HIDE-A-WAY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300629-001**

**Source Name: JACKSON HIDE-A-WAY**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED		
MOLINATE	82199	WAIVED		
OXAMYL	38865	WAIVED		
PENTACHLOROPHENOL	39032	WAIVED		
PICLORAM	39720	WAIVED		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED		
SIMAZINE	39055	WAIVED	2004/06/30	.000
THIOBENCARB	A-001	WAIVED		
TOXAPHENE	39400	WAIVED		

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	2004/06/30	.000
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2004/06/30	.000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2004/06/30	.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	2004/06/30	.000
1,1-DICHLOROETHANE	34496	WAIVED	2004/06/30	.000
1,1-DICHLOROETHYLENE	34501	WAIVED	2004/06/30	.000
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2004/06/30	.000
1,2-DICHLOROBENZENE	34536	WAIVED	2004/06/30	.000
1,2-DICHLOROETHANE	34531	WAIVED	2004/06/30	.000
1,2-DICHLOROPROPANE	34541	WAIVED	2004/06/30	.000
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2004/06/30	.000
1,4-DICHLOROBENZENE	34571	WAIVED	2004/06/30	.000
BENZENE	34030	WAIVED	2004/06/30	.000
CARBON TETRACHLORIDE	32102	WAIVED	2004/06/30	.000
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2004/06/30	.000
DICHLOROMETHANE	34423	WAIVED	2004/06/30	.000
ETHYLBENZENE	34371	WAIVED	2004/06/30	.000
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2004/06/30	.000
MONOCHLOROBENZENE	34301	WAIVED	2004/06/30	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300629**

**System Name: JACKSON HIDE-A-WAY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300629-001**

**Source Name: JACKSON HIDE-A-WAY**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED	2004/06/30	.000
TETRACHLOROETHYLENE	34475	WAIVED	2004/06/30	.000
TOLUENE	34010	WAIVED	2004/06/30	.000
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2004/06/30	.000
TRICHLOROETHYLENE	39180	WAIVED	2004/06/30	.000
TRICHLOROFLUOROMETHANE	34488	WAIVED	2004/06/30	.000
VINYL CHLORIDE	39175	WAIVED	2004/06/30	.000
XYLENES (TOTAL)	81551	WAIVED	2004/06/30	.000

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED		
BICARBONATE ALKALINITY	00440	WAIVED	2004/06/30	160.000
CALCIUM	00916	WAIVED	2004/06/30	43.000
CARBONATE ALKALINITY	00445	WAIVED	2004/06/30	.000
CHLORIDE	00940	WAIVED	2004/06/30	140.000
COLOR	00081	WAIVED	2004/06/30	.000
COPPER	01042	WAIVED	2004/06/30	.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2004/06/30	.000
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED	2004/06/30	130.000
HYDROXIDE ALKALINITY	71830	WAIVED	2004/06/30	.000
IRON	01045	WAIVED	2004/06/30	.000
MAGNESIUM	00927	WAIVED	2004/06/30	7.700
MANGANESE	01055	WAIVED	2004/06/30	.000
ODOR THRESHOLD @ 60 C	00086	WAIVED	2004/06/30	1.000
PH, LABORATORY	00403	WAIVED	2004/06/30	7.800
SILVER	01077	WAIVED	2004/06/30	.000
SODIUM	00929	WAIVED	2004/06/30	110.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2004/06/30	840.000
SULFATE	00945	WAIVED	2004/06/30	60.000
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2004/06/30	490.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300629**

System Name: **JACKSON HIDE-A-WAY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300629-001**

Source Name: **JACKSON HIDE-A-WAY**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	WAIVED	2004/06/30	.100
ZINC	01092	WAIVED	2004/06/30	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300632**

System Name: **BLU-IN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300632-001**

Source Name: **BLU-IN PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	WAIVED		
MERCURY	71900	000		DUE
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	000		DUE
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300632**

**System Name: BLU-IN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300632-001**

**Source Name: BLU-IN PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300632**

**System Name: BLU-IN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300632-001**

**Source Name: BLU-IN PARK**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300632**

System Name: **BLU-IN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300632-001**

Source Name: **BLU-IN PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300632**

System Name: **BLU-IN CAFE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300632-001**

Source Name: **BLU-IN PARK**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300635**

**System Name: CALENERGY (ADMINISTRATIVE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300635-001**

**Source Name: VAIL 45S LATERAL 4A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300635**

**System Name: CALENERGY (ADMINISTRATIVE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300635-001**

**Source Name: VAIL 45S LATERAL 4A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300635**

**System Name: CALENERGY (ADMINISTRATIVE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300635-001**

**Source Name: VAIL 45S LATERAL 4A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300635**

**System Name: CALENERGY (ADMINISTRATIVE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300635-001**

**Source Name: VAIL 45S LATERAL 4A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300635

**System Name:** CALENERGY (ADMINISTRATIVE)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300635-001

**Source Name:** VAIL 45S LATERAL 4A

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300637**

**System Name: CALENERGY (SALTON SEA UNIT NO III)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300637-001**

**Source Name: VAIL 513-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300637**

**System Name: CALENERGY (SALTON SEA UNIT NO III)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300637-001**

**Source Name: VAIL 513-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300637

**System Name:** CALENERGY (SALTON SEA UNIT NO III)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300637-001

**Source Name:** VAIL 513-A

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300637**

**System Name: CALENERGY (SALTON SEA UNIT NO III)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300637-001**

**Source Name: VAIL 513-A**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300637

**System Name:** CALENERGY (SALTON SEA UNIT NO III)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300637-001

**Source Name:** VAIL 513-A

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-001**

**Source Name: VAIL 416-A LATERAL 4**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-001**

**Source Name: VAIL 416-A LATERAL 4**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-001**

**Source Name: VAIL 416-A LATERAL 4**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300638**

**System Name: CAENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-001**

**Source Name: VAIL 416-A LATERAL 4**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-001**

**Source Name: VAIL 416-A LATERAL 4**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

**PS Code: 1300638-002**

**Source Name: VAIL 416-C LATERAL 4**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED

**INORGANIC**

ALUMINUM

01105 WAIVED

ANTIMONY

01097 WAIVED

ARSENIC

01002 WAIVED

ASBESTOS

81855 WAIVED

BARIUM

01007 WAIVED

BERYLLIUM

01012 WAIVED

CADMIUM

01027 WAIVED

CHROMIUM (TOTAL)

01034 WAIVED

CYANIDE

01291 WAIVED

FLUORIDE (F) (NATURAL-SOURCE)

00951 WAIVED

LEAD

01051 WAIVED

MERCURY

71900 WAIVED

NICKEL

01067 WAIVED

PERCHLORATE

A-031 WAIVED

SELENIUM

01147 WAIVED

THALLIUM

01059 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-002**

**Source Name: VAIL 416-C LATERAL 4**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-002**

**Source Name: VAIL 416-C LATERAL 4**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300638**

**System Name: CALENERGY (VULCAN POWER PLANT)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300638-002**

**Source Name: VAIL 416-C LATERAL 4**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300638

**System Name:** CALENERGY (VULCAN POWER PLANT)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300638-002

**Source Name:** VAIL 416-C LATERAL 4

**Source Number:** 002

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300642**

**System Name: CALENERGY (ENG. & TECH.)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300642-001**

**Source Name: VAIL 222**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300642**

**System Name: CALENERGY (ENG. & TECH.)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300642-001**

**Source Name: VAIL 222**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number:** 1300642

**System Name:** CALENERGY (ENG. & TECH.)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300642-001

**Source Name:** VAIL 222

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300642**

**System Name: CALENERGY (ENG. & TECH.)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300642-001**

**Source Name: VAIL 222**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300642

**System Name:** CALENERGY (ENG. & TECH.)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300642-001

**Source Name:** VAIL 222

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-001**

**Source Name: NORTH EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-001**

**Source Name: NORTH EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-001**

**Source Name: NORTH EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-001**

**Source Name: NORTH EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-001**

**Source Name: NORTH EAST WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

**PS Code: 1300643-002**

**Source Name: SOUTH EAST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED

**INORGANIC**

ALUMINUM

01105 WAIVED

ANTIMONY

01097 WAIVED

ARSENIC

01002 WAIVED

ASBESTOS

81855 WAIVED

BARIUM

01007 WAIVED

BERYLLIUM

01012 WAIVED

CADMIUM

01027 WAIVED

CHROMIUM (TOTAL)

01034 WAIVED

CYANIDE

01291 WAIVED

FLUORIDE (F) (NATURAL-SOURCE)

00951 WAIVED

LEAD

01051 WAIVED

MERCURY

71900 WAIVED

NICKEL

01067 WAIVED

PERCHLORATE

A-031 WAIVED

SELENIUM

01147 WAIVED

THALLIUM

01059 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-002**

**Source Name: SOUTH EAST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-002**

**Source Name: SOUTH EAST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-002**

**Source Name: SOUTH EAST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-002**

**Source Name: SOUTH EAST WELL**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

**PS Code: 1300643-003**

**Source Name: NORTH WEST WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-003**

**Source Name: NORTH WEST WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-003**

**Source Name: NORTH WEST WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
-----------------------	-------	--------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-003**

**Source Name: NORTH WEST WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-003**

**Source Name: NORTH WEST WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

**PS Code: 1300643-004**

**Source Name: NE WELL**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-004**

**Source Name: NE WELL**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-004**

**Source Name: NE WELL**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

URANIUM (PCI/L)	28012	WAIVED
-----------------	-------	--------

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-004**

**Source Name: NE WELL**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300643**

**System Name: MESQUITE MINES INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300643-004**

**Source Name: NE WELL**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300644**

**System Name: SPRECKELS SUGAR COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300644-001**

**Source Name: HOLLY SUGAR**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300644**

**System Name: SPRECKELS SUGAR COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300644-001**

**Source Name: HOLLY SUGAR**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300644**

**System Name: SPRECKELS SUGAR COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300644-001**

**Source Name: HOLLY SUGAR**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300644**

**System Name: SPRECKELS SUGAR COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300644-001**

**Source Name: HOLLY SUGAR**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300644**

**System Name: SPRECKELS SUGAR COMPANY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300644-001**

**Source Name: HOLLY SUGAR**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300652**

**System Name: IID NORTH END CONSOLIDATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300652-001**

**Source Name: IID NORTH END CONSOLIDATION**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300652**

**System Name: IID NORTH END CONSOLIDATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300652-001**

**Source Name: IID NORTH END CONSOLIDATION**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300652**

**System Name: IID NORTH END CONSOLIDATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300652-001**

**Source Name: IID NORTH END CONSOLIDATION**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300652**

**System Name: IID NORTH END CONSOLIDATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300652-001**

**Source Name: IID NORTH END CONSOLIDATION**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300652**

**System Name: IID NORTH END CONSOLIDATION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300652-001**

**Source Name: IID NORTH END CONSOLIDATION**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300654**

**System Name: WALTERS CAMP RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300654-001**

**Source Name: WALTER S CAMP**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300654**

**System Name: WALTERS CAMP RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300654-001**

**Source Name: WALTER S CAMP**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300654**

**System Name: WALTERS CAMP RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300654-001**

**Source Name: WALTER S CAMP**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300654**

**System Name: WALTERS CAMP RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300654-001**

**Source Name: WALTER S CAMP**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300654**

**System Name: WALTERS CAMP RV PARK**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300654-001**

**Source Name: WALTER S CAMP**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300655**

**System Name: OLD EUCALYPTUS SCHOOLHOUSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300655-001**

**Source Name: CANAL WATER XX**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300655**

**System Name: OLD EUCALYPTUS SCHOOLHOUSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300655-001**

**Source Name: CANAL WATER XX**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300655

**System Name:** OLD EUCALYPTUS SCHOOLHOUSE

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300655-001

**Source Name:** CANAL WATER XX

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300655**

**System Name: OLD EUCALYPTUS SCHOOLHOUSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300655-001**

**Source Name: CANAL WATER XX**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300655**

**System Name: OLD EUCALYPTUS SCHOOLHOUSE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300655-001**

**Source Name: CANAL WATER XX**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*



System Number: **1300656**

System Name: **DUNER S DINER (FORMERLY PAIR-A-DICE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300656-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	
----------	-------	--------	--

**INORGANIC**

ALUMINUM	01105	WAIVED	
ANTIMONY	01097	WAIVED	
ARSENIC	01002	000	DUE
ASBESTOS	81855	WAIVED	
BARIUM	01007	000	DUE
BERYLLIUM	01012	WAIVED	
CADMIUM	01027	000	DUE
CHROMIUM (TOTAL)	01034	000	DUE
CYANIDE	01291	WAIVED	
FLUORIDE (F) (NATURAL-SOURCE)	00951	000	DUE
LEAD	01051	WAIVED	
MERCURY	71900	000	DUE
NICKEL	01067	WAIVED	
PERCHLORATE	A-031	WAIVED	
SELENIUM	01147	000	DUE
THALLIUM	01059	WAIVED	

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000	DUE
NITRITE (AS N)	00620	000	DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300656**

**System Name: DUNER S DINER (FORMERLY PAIR-A-DICE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300656-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300656

**System Name:** DUNER S DINER (FORMERLY PAIR-A-DICE)

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300656-001

**Source Name:** WELL 01

**Source Number:** 001

**Source Status:** ACTIVE UNTREATED

**Water type:** GROUNDWATER OR WELL

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300656**

**System Name: DUNER S DINER (FORMERLY PAIR-A-DICE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300656-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO3	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300656**

**System Name: DUNER S DINER (FORMERLY PAIR-A-DICE)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300656-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

System Number: **1300657**

System Name: **CHRISTIAN SERVICE CENTER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1300657-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE RAW</b>					
<b>Water type: GROUNDWATER OR WELL</b>					
<b><u>GENERAL NON CHAP 15</u></b>					
DIAZINON	39570	WAIVED			
<b><u>INORGANIC</u></b>					
ALUMINUM	01105	WAIVED			
ANTIMONY	01097	WAIVED			
ARSENIC	01002	000			DUE
ASBESTOS	81855	WAIVED			
BARIUM	01007	000			DUE
BERYLLIUM	01012	WAIVED			
CADMIUM	01027	000			DUE
CHROMIUM (TOTAL)	01034	000			DUE
CYANIDE	01291	WAIVED			
FLUORIDE (F) (NATURAL-SOURCE)	00951	000			DUE
LEAD	01051	WAIVED			
MERCURY	71900	000			DUE
NICKEL	01067	WAIVED			
PERCHLORATE	A-031	WAIVED			
SELENIUM	01147	000			DUE
THALLIUM	01059	WAIVED			
<b><u>NITRATE/NITRITE</u></b>					
NITRATE (AS NO3)	71850	000			DUE
NITRITE (AS N)	00620	000			DUE
<b><u>RADIOLOGICAL</u></b>					
GROSS ALPHA	01501	WAIVED			
GROSS BETA	03501	WAIVED			
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED			
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED			
RADIUM 226	09501	WAIVED			
RADIUM 228	11501	WAIVED			

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300657**

**System Name: CHRISTIAN SERVICE CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300657-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300657**

**System Name: CHRISTIAN SERVICE CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300657-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300657**

**System Name: CHRISTIAN SERVICE CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300657-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	
BICARBONATE ALKALINITY	00440	000	DUE
CALCIUM	00916	000	DUE
CARBONATE ALKALINITY	00445	000	DUE
CHLORIDE	00940	000	DUE
COLOR	00081	000	DUE
COPPER	01042	WAIVED	
FOAMING AGENTS (MBAS)	38260	WAIVED	
HARDNESS (TOTAL) AS CaCO3	00900	000	DUE
HYDROXIDE ALKALINITY	71830	000	DUE
IRON	01045	000	DUE
MAGNESIUM	00927	000	DUE
MANGANESE	01055	000	DUE
ODOR THRESHOLD @ 60 C	00086	000	DUE
PH, LABORATORY	00403	000	DUE
SILVER	01077	000	DUE
SODIUM	00929	000	DUE
SPECIFIC CONDUCTANCE	00095	000	DUE
SULFATE	00945	000	DUE
TOTAL DISSOLVED SOLIDS	70300	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300657**

System Name: **CHRISTIAN SERVICE CENTER**

<u>STORET</u> <u>NUMBER</u>	<u>TESTING</u> <u>INTERVAL</u> <u>(MONTHS)*</u>	<u>LAST TEST</u> <u>DATE</u> <u>(yyyy/mm/dd)</u>	<u>LAST RESULT</u> <u>REPORTED</u>	<u>NEXT TEST</u> <u>DATE</u> <u>(yyyy/mm)</u>
--------------------------------	-------------------------------------------------------	--------------------------------------------------------	---------------------------------------	-----------------------------------------------------

PS Code: **1300657-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

SECONDARY/GP

<b>TURBIDITY, LABORATORY</b>	<b>82079</b>	<b>000</b>		<b>DUE</b>
<b>ZINC</b>	<b>01092</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300660**

**System Name: PLANT EAST MESA (PEM) UNIT 3 - FPL ENERG**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300660-001**

**Source Name: EAST HIGHLINE CANAL GATE DEL 13 - RAW**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300660**

**System Name: PLANT EAST MESA (PEM) UNIT 3 - FPL ENERG**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300660-001**

**Source Name: EAST HIGHLINE CANAL GATE DEL 13 - RAW**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300660

**System Name:** PLANT EAST MESA (PEM) UNIT 3 - FPL ENERG

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300660-001

**Source Name:** EAST HIGHLINE CANAL GATE DEL 13 - RAW

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300660

**System Name:** PLANT EAST MESA (PEM) UNIT 3 - FPL ENERG

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300660-001

**Source Name:** EAST HIGHLINE CANAL GATE DEL 13 - RAW

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300660

**System Name:** PLANT EAST MESA (PEM) UNIT 3 - FPL ENERG

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300660-001

**Source Name:** EAST HIGHLINE CANAL GATE DEL 13 - RAW

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300664**

System Name: **RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300664-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	000		DUE
ANTIMONY	01097	000		DUE
ARSENIC	01002	000		DUE
ASBESTOS	81855	WAIVED		
BARIUM	01007	000		DUE
BERYLLIUM	01012	000		DUE
CADMIUM	01027	000		DUE
CHROMIUM (TOTAL)	01034	000		DUE
CYANIDE	01291	000		DUE
FLUORIDE (F) (NATURAL-SOURCE)	00951	000		DUE
LEAD	01051	000		DUE
MERCURY	71900	000		DUE
NICKEL	01067	000		DUE
PERCHLORATE	A-031	000		DUE
SELENIUM	01147	000		DUE
THALLIUM	01059	000		DUE

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	000		DUE
NITRITE (AS N)	00620	000		DUE

**RADIOLOGICAL**

GROSS ALPHA	01501	000		DUE
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



System Number: **1300664**

System Name: **RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300664-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED	
2,4,5-TP (SILVEX)	39045	000	DUE
2,4-D	39730	000	DUE
ALACHLOR	77825	000	DUE
ATRAZINE	39033	000	DUE
BENTAZON	38710	000	DUE
BENZO (A) PYRENE	34247	000	DUE
CARBOFURAN	81405	000	DUE
CHLORDANE	39350	WAIVED	
DALAPON	38432	000	DUE
DI(2-ETHYLHEXYL)ADIPATE	A-026	000	DUE
DI(2-ETHYLHEXYL)PHthalate	39100	000	DUE
DIBROMOCHLOROPROPANE (DBCP)	38761	000	DUE
DINOSEB	81287	000	DUE
DIQUAT	78885	000	DUE
ENDOTHALL	38926	000	DUE
ENDRIN	39390	WAIVED	
ETHYLENE DIBROMIDE (EDB)	77651	000	DUE
GLYPHOSATE	79743	WAIVED	
HEPTACHLOR	39410	WAIVED	
HEPTACHLOR EPOXIDE	39420	WAIVED	
HEXACHLOROBENZENE	39700	000	DUE
HEXACHLOROCYClopentadiene	34386	000	DUE
LINDANE	39340	WAIVED	

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300664**

System Name: **RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300664-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED	
MOLINATE	82199	000	DUE
OXAMYL	38865	000	DUE
PENTACHLOROPHENOL	39032	000	DUE
PICLORAM	39720	000	DUE
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	
SIMAZINE	39055	000	DUE
THIOBENCARB	A-001	000	DUE
TOXAPHENE	39400	WAIVED	

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	000	DUE
1,1,2,2-TETRACHLOROETHANE	34516	000	DUE
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	000	DUE
1,1,2-TRICHLOROETHANE	34511	000	DUE
1,1-DICHLOROETHANE	34496	000	DUE
1,1-DICHLOROETHYLENE	34501	000	DUE
1,2,4-TRICHLOROBENZENE	34551	000	DUE
1,2-DICHLOROBENZENE	34536	000	DUE
1,2-DICHLOROETHANE	34531	000	DUE
1,2-DICHLOROPROPANE	34541	000	DUE
1,3-DICHLOROPROPENE (TOTAL)	34561	000	DUE
1,4-DICHLOROBENZENE	34571	000	DUE
BENZENE	34030	000	DUE
CARBON TETRACHLORIDE	32102	000	DUE
CIS-1,2-DICHLOROETHYLENE	77093	000	DUE
DICHLOROMETHANE	34423	000	DUE
ETHYLBENZENE	34371	000	DUE
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	000	DUE
MONOCHLOROBENZENE	34301	000	DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300664**

System Name: **RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300664-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	000		DUE
TETRACHLOROETHYLENE	34475	000		DUE
TOLUENE	34010	000		DUE
TRANS-1,2-DICHLOROETHYLENE	34546	000		DUE
TRICHLOROETHYLENE	39180	000		DUE
TRICHLOROFLUOROMETHANE	34488	000		DUE
VINYL CHLORIDE	39175	000		DUE
XYLENES (TOTAL)	81551	000		DUE

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	000		DUE
BICARBONATE ALKALINITY	00440	000		DUE
CALCIUM	00916	000		DUE
CARBONATE ALKALINITY	00445	000		DUE
CHLORIDE	00940	000		DUE
COLOR	00081	000		DUE
COPPER	01042	000		DUE
FOAMING AGENTS (MBAS)	38260	000		DUE
HARDNESS (TOTAL) AS CaCO3	00900	000		DUE
HYDROXIDE ALKALINITY	71830	000		DUE
IRON	01045	000		DUE
MAGNESIUM	00927	000		DUE
MANGANESE	01055	000		DUE
ODOR THRESHOLD @ 60 C	00086	000		DUE
PH, LABORATORY	00403	000		DUE
SILVER	01077	000		DUE
SODIUM	00929	000		DUE
SPECIFIC CONDUCTANCE	00095	000		DUE
SULFATE	00945	000		DUE
TOTAL DISSOLVED SOLIDS	70300	000		DUE

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 1300664-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE RAW</b>				
<b>Water type: GROUNDWATER OR WELL</b>				
<u>SECONDARY/GP</u>				
<b>TURBIDITY, LABORATORY</b>	82079	000		<b>DUE</b>
<b>ZINC</b>	01092	000		<b>DUE</b>

**PS Code: 1300664-002**

**Source Name: RO TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

GENERAL NON CHAP 15

DIAZINON	39570	WAIVED
----------	-------	--------

INORGANIC

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300664

**System Name:** RIVERFRONT WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300664-002

**Source Name:** RO TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300664-002**

**Source Name: RO TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300664-002**

**Source Name: RO TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300664

**System Name:** RIVERFRONT WATER DISTRICT

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300664-002

**Source Name:** RO TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:**

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

**PS Code:** 1300664-003

**Source Name:** WELL

**Source Number:** 003

**Source Status:** ACTIVE UNTREATED

**Water type:**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300664-003**

**Source Name: WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type:**

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300664-003**

**Source Name: WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type:**

**REGULATED SOC**

BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
-----------------------	-------	--------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300664-003**

**Source Name: WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type:**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300664**

**System Name: RIVERFRONT WATER DISTRICT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300664-003**

**Source Name: WELL**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type:**

**SECONDARY/GP**

CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300669**

**System Name: LA VALLE SABBIA INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300669-001**

**Source Name: WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300669**

**System Name: LA VALLE SABBIA INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300669-001**

**Source Name: WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300669**

**System Name: LA VALLE SABBIA INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300669-001**

**Source Name: WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300669**

**System Name: LA VALLE SABBIA INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300669-001**

**Source Name: WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1300669**

**System Name: LA VALLE SABBIA INC.**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300669-001**

**Source Name: WELL**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*999 = Waived testing (not required)*

*I = Invalid (NOT) valid analyses reported*

**System Number: 1300679**

**System Name: HUDSON RANCH POWER I LLC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300679-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1300679**

**System Name: HUDSON RANCH POWER I LLC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1300679-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300679

**System Name:** HUDSON RANCH POWER I LLC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300679-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1300679

**System Name:** HUDSON RANCH POWER I LLC

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1300679-002

**Source Name:** TREATMENT PLANT

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1300679**

System Name: **HUDSON RANCH POWER I LLC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1300679-002**

Source Name: **TREATMENT PLANT**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

SECONDARY/GP

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	1990/06/13	<.020
----------	-------	--------	------------	-------

**INORGANIC**

ALUMINUM	01105	WAIVED		
ANTIMONY	01097	WAIVED		
ARSENIC	01002	WAIVED		
ASBESTOS	81855	WAIVED		
BARIUM	01007	WAIVED		
BERYLLIUM	01012	WAIVED		
CADMIUM	01027	WAIVED		
CHROMIUM (TOTAL)	01034	WAIVED		
CYANIDE	01291	WAIVED		
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED		
LEAD	01051	WAIVED		
MERCURY	71900	WAIVED		
NICKEL	01067	WAIVED		
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	WAIVED		
THALLIUM	01059	WAIVED		

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED		
NITRITE (AS N)	00620	WAIVED		

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	1991/09/23	.600
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED	1991/09/23	< 1.000

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
2,4,5-TP (SILVEX)	39045	WAIVED	1990/06/13	< 1.000
2,4-D	39730	WAIVED	1990/06/13	< 10.000
ALACHLOR	77825	WAIVED	1990/06/13	< .010
ATRAZINE	39033	WAIVED	1990/06/13	< 1.000
BENTAZON	38710	WAIVED		
BENZO (A) PYRENE	34247	WAIVED		
CARBOFURAN	81405	WAIVED	1991/01/29	< 5.000
CHLORDANE	39350	WAIVED	1990/06/13	< .100
DALAPON	38432	WAIVED		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED		
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED		
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	1990/06/13	< .010
DINOSEB	81287	WAIVED		
DIQUAT	78885	WAIVED		
ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED	1990/06/13	< .010
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	1990/06/13	< .020
GLYPHOSATE	79743	WAIVED	1991/03/21	< 5.000
HEPTACHLOR	39410	WAIVED	1990/06/13	< .010
HEPTACHLOR EPOXIDE	39420	WAIVED	1990/06/13	< .010
HEXACHLOROBENZENE	39700	WAIVED		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED		
LINDANE	39340	WAIVED	1990/06/13	< .400

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-002**

**Source Name: WELL 01**

**Source Number: 002**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED	1990/06/13	< 10.000
MOLINATE	82199	WAIVED	1990/06/13	< 2.000
OXAMYL	38865	WAIVED		
PENTACHLOROPHENOL	39032	WAIVED		
PICLORAM	39720	WAIVED		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED		
SIMAZINE	39055	WAIVED	1990/06/13	< 1.000
THIOBENCARB	A-001	WAIVED	1990/06/13	< .800
TOXAPHENE	39400	WAIVED	1990/06/13	< .500

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	1991/01/29	.000
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	1991/01/29	.000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	1991/01/29	.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	1991/01/29	.000
1,1-DICHLOROETHANE	34496	WAIVED	1991/01/29	.000
1,1-DICHLOROETHYLENE	34501	WAIVED	1991/01/29	.000
1,2,4-TRICHLOROBENZENE	34551	WAIVED	1991/01/29	.000
1,2-DICHLOROBENZENE	34536	WAIVED	1991/01/29	.000
1,2-DICHLOROETHANE	34531	WAIVED	1991/01/29	.000
1,2-DICHLOROPROPANE	34541	WAIVED	1991/01/29	.000
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	1991/01/29	.000
1,4-DICHLOROBENZENE	34571	WAIVED	1991/01/29	.000
BENZENE	34030	WAIVED	1991/01/29	.000
CARBON TETRACHLORIDE	32102	WAIVED	1991/01/29	.000
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	1991/01/29	.000
DICHLOROMETHANE	34423	WAIVED	1991/01/29	.000
ETHYLBENZENE	34371	WAIVED	1991/01/29	.000
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED		
MONOCHLOROBENZENE	34301	WAIVED	1991/01/29	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310009

**System Name:** WINTERHAVEN WD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310009-002

**Source Name:** WELL 01

**Source Number:** 002

**Source Status:** ACTIVE RAW

**Water type:** GROUNDWATER OR WELL

**REGULATED VOC**

STYRENE	77128	WAIVED	1991/01/29	.000
TETRACHLOROETHYLENE	34475	WAIVED	1991/01/29	.000
TOLUENE	34010	WAIVED	1991/01/29	.000
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	1991/01/29	.000
TRICHLOROETHYLENE	39180	WAIVED	1991/01/29	.000
TRICHLOROFLUOROMETHANE	34488	WAIVED	1991/01/29	.000
VINYL CHLORIDE	39175	WAIVED	1991/01/29	.000
XYLENES (TOTAL)	81551	WAIVED	1991/01/29	.000

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1991/01/29	2.800
BICARBONATE ALKALINITY	00440	WAIVED		
CALCIUM	00916	WAIVED	1991/01/29	203.000
CARBONATE ALKALINITY	00445	WAIVED		
CHLORIDE	00940	WAIVED		
COLOR	00081	WAIVED		
COPPER	01042	WAIVED		
FOAMING AGENTS (MBAS)	38260	WAIVED		
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	1991/01/29	285.000
HYDROXIDE ALKALINITY	71830	WAIVED		
IRON	01045	WAIVED		
MAGNESIUM	00927	WAIVED		
MANGANESE	01055	WAIVED		
ODOR THRESHOLD @ 60 C	00086	WAIVED		
PH, LABORATORY	00403	WAIVED		
SILVER	01077	WAIVED		
SODIUM	00929	WAIVED		
SPECIFIC CONDUCTANCE	00095	WAIVED		
SULFATE	00945	WAIVED		
TOTAL DISSOLVED SOLIDS	70300	WAIVED	1991/01/29	960.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310009

**System Name:** WINTERHAVEN WD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310009-002

**Source Name:** WELL 01

**Source Number:** 002

**Source Status:** ACTIVE RAW

**Water type:** GROUNDWATER OR WELL

**SECONDARY/GP**

TURBIDITY, LABORATORY

82079 WAIVED

ZINC

01092 WAIVED

**PS Code:** 1310009-003

**Source Name:** WELL 02

**Source Number:** 003

**Source Status:** ACTIVE RAW

**Water type:** GROUNDWATER OR WELL

**GENERAL NON CHAP 15**

DIAZINON

39570 WAIVED

**INORGANIC**

ALUMINUM

01105 WAIVED 2007/01/03 110.000

ANTIMONY

01097 WAIVED 2007/01/03 .000

ARSENIC

01002 WAIVED 2007/01/03 .000

ASBESTOS

81855 WAIVED

BARIUM

01007 WAIVED 2007/01/03 120.000

BERYLLIUM

01012 WAIVED 2007/01/03 .000

CADMIUM

01027 WAIVED 2007/01/03 .000

CHROMIUM (TOTAL)

01034 WAIVED 2007/01/03 .000

CYANIDE

01291 WAIVED 2007/01/03 .000

FLUORIDE (F) (NATURAL-SOURCE)

00951 WAIVED 2007/01/03 .210

LEAD

01051 WAIVED 2007/01/03 .000

MERCURY

71900 WAIVED 2007/01/03 .000

NICKEL

01067 WAIVED 2007/01/03 .000

PERCHLORATE

A-031 WAIVED

SELENIUM

01147 WAIVED 2007/01/03 .000

THALLIUM

01059 WAIVED 2007/01/03 .000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-003**

**Source Name: WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2008/02/26	.000
NITRITE (AS N)	00620	WAIVED	2007/01/03	.000

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	2007/12/10	2.370
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED	2007/03/26	.528
RADIUM 228	11501	WAIVED	2007/03/26	.130
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED	2007/03/26	4.900

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
2,4,5-TP (SILVEX)	39045	WAIVED		
2,4-D	39730	WAIVED		
ALACHLOR	77825	WAIVED		
ATRAZINE	39033	WAIVED		
BENTAZON	38710	WAIVED		
BENZO (A) PYRENE	34247	WAIVED		
CARBOFURAN	81405	WAIVED	1991/01/29	< 5.000
CHLORDANE	39350	WAIVED		
DALAPON	38432	WAIVED		
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED		
DI(2-ETHYLHEXYL)PHthalate	39100	WAIVED		
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED		
DINOSEB	81287	WAIVED		
DIQUAT	78885	WAIVED		

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-003**

**Source Name: WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED		
GLYPHOSATE	79743	WAIVED	1991/03/21	<5.000
HEPTACHLOR	39410	WAIVED		
HEPTACHLOR EPOXIDE	39420	WAIVED		
HEXACHLOROBENZENE	39700	WAIVED		
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED		
LINDANE	39340	WAIVED		
METHOXYCHLOR	39480	WAIVED		
MOLINATE	82199	WAIVED		
OXAMYL	38865	WAIVED		
PENTACHLOROPHENOL	39032	WAIVED		
PICLORAM	39720	WAIVED		
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED		
SIMAZINE	39055	WAIVED		
THIOBENCARB	A-001	WAIVED		
TOXAPHENE	39400	WAIVED		

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/03/26	.000
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/03/26	.000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/03/26	.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/03/26	.000
1,1-DICHLOROETHANE	34496	WAIVED	2007/03/26	.000
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/03/26	.000
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/03/26	.000
1,2-DICHLOROBENZENE	34536	WAIVED	2007/03/26	.000
1,2-DICHLOROETHANE	34531	WAIVED	2007/03/26	.000
1,2-DICHLOROPROPANE	34541	WAIVED	2007/03/26	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-003**

**Source Name: WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/03/26	.000
1,4-DICHLOROBENZENE	34571	WAIVED	2007/03/26	.000
BENZENE	34030	WAIVED	2007/03/26	.000
CARBON TETRACHLORIDE	32102	WAIVED	2007/03/26	.000
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/03/26	.000
DICHLOROMETHANE	34423	WAIVED	2007/03/26	.000
ETHYLBENZENE	34371	WAIVED	2007/03/26	.000
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/03/26	.000
MONOCHLOROBENZENE	34301	WAIVED	2007/03/26	.000
STYRENE	77128	WAIVED	2007/03/26	.000
TETRACHLOROETHYLENE	34475	WAIVED	2007/03/26	.000
TOLUENE	34010	WAIVED	2007/03/26	.000
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/03/26	.000
TRICHLOROETHYLENE	39180	WAIVED	2007/03/26	.000
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/03/26	.000
VINYL CHLORIDE	39175	WAIVED	2007/03/26	.000
XYLENES (TOTAL)	81551	WAIVED	2007/03/26	.000

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED	1991/01/29	13.100
BICARBONATE ALKALINITY	00440	WAIVED	2007/01/03	430.000
CALCIUM	00916	WAIVED	2007/01/03	250.000
CARBONATE ALKALINITY	00445	WAIVED	2007/01/03	.000
CHLORIDE	00940	WAIVED	2007/01/03	390.000
COLOR	00081	WAIVED	2007/01/03	10.000
COPPER	01042	WAIVED	2007/01/03	.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/01/03	.000
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2007/01/03	880.000
HYDROXIDE ALKALINITY	71830	WAIVED	2007/01/03	.000
IRON	01045	WAIVED	2007/01/03	350.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-003**

**Source Name: WELL 02**

**Source Number: 003**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED	2007/01/03	56.000
MANGANESE	01055	WAIVED	2007/01/03	1800.000
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/01/03	1.000
PH, LABORATORY	00403	WAIVED	2007/01/03	7.500
SILVER	01077	WAIVED	2007/01/03	.000
SODIUM	00929	WAIVED	2007/01/03	280.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/01/03	2700.000
SULFATE	00945	WAIVED	2007/01/03	700.000
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/01/03	1800.000
TURBIDITY, LABORATORY	82079	WAIVED	2007/01/03	1.700
ZINC	01092	WAIVED	2007/01/03	.000

**PS Code: 1310009-004**

**Source Name: WELL 01 - TREATED**

**Source Number: 004**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310009

**System Name:** WINTERHAVEN WD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310009-004

**Source Name:** WELL 01 - TREATED

**Source Number:** 004

**Source Status:** ACTIVE TREATED

**Water type:** GROUNDWATER OR WELL

**INORGANIC**

FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-004**

**Source Name: WELL 01 - TREATED**

**Source Number: 004**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
-----------------------	-------	--------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-004**

**Source Name: WELL 01 - TREATED**

**Source Number: 004**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-004**

**Source Name: WELL 01 - TREATED**

**Source Number: 004**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**SECONDARY/GP**

CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO <sub>3</sub>	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

**PS Code: 1310009-005**

**Source Name: WELL 02 - TREATED**

**Source Number: 005**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2004/12/08	.000
----------	-------	--------	------------	------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-005**

**Source Name: WELL 02 - TREATED**

**Source Number: 005**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2006/09/14	.100
NITRITE (AS N)	00620	WAIVED		

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-005**

**Source Name: WELL 02 - TREATED**

**Source Number: 005**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

URANIUM (PCI/L)	28012	WAIVED		
-----------------	-------	--------	--	--

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
2,4,5-TP (SILVEX)	39045	WAIVED	2004/12/08	.000
2,4-D	39730	WAIVED	2004/12/08	.000
ALACHLOR	77825	WAIVED	2004/12/08	.000
ATRAZINE	39033	WAIVED	2004/12/08	.000
BENTAZON	38710	WAIVED	2004/12/08	.000
BENZO (A) PYRENE	34247	WAIVED	2004/12/08	.000
CARBOFURAN	81405	WAIVED		
CHLORDANE	39350	WAIVED	2004/12/08	.000
DALAPON	38432	WAIVED	2004/12/08	.000
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2004/12/08	.000
DI(2-ETHYLHEXYL)PHTHALATE	39100	WAIVED	2004/12/08	.000
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/12/08	.000
DINOSEB	81287	WAIVED	2004/12/08	.000
DIQUAT	78885	WAIVED	2004/12/08	.000
ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/12/08	.000
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	WAIVED	2004/12/08	.000
HEPTACHLOR EPOXIDE	39420	WAIVED	2004/12/08	.000
HEXACHLOROBENZENE	39700	WAIVED	2004/12/08	.000
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2004/12/08	.000
LINDANE	39340	WAIVED	2004/12/08	.000
METHOXYCHLOR	39480	WAIVED	2004/12/08	.000
MOLINATE	82199	WAIVED	2004/12/08	.000
OXAMYL	38865	WAIVED	2004/12/08	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-005**

**Source Name: WELL 02 - TREATED**

**Source Number: 005**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED SOC**

PENTACHLOROPHENOL	39032	WAIVED	2004/12/08	.000
PICLORAM	39720	WAIVED	2004/12/08	.000
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2004/12/08	.000
SIMAZINE	39055	WAIVED	2004/12/08	.000
THIOBENCARB	A-001	WAIVED	2004/12/08	.000
TOXAPHENE	39400	WAIVED	2004/12/08	.000

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-005**

**Source Name: WELL 02 - TREATED**

**Source Number: 005**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-006**

**Source Name: WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED		
----------	-------	--------	--	--

**INORGANIC**

ALUMINUM	01105	WAIVED	2007/01/03	85.000
ANTIMONY	01097	WAIVED	2007/01/03	.000
ARSENIC	01002	WAIVED	2007/01/03	.000
ASBESTOS	81855	WAIVED		
BARIUM	01007	WAIVED	2007/01/03	190.000
BERYLLIUM	01012	WAIVED	2007/01/03	.000
CADMIUM	01027	WAIVED	2007/01/03	.000
CHROMIUM (TOTAL)	01034	WAIVED	2007/01/03	.000
CYANIDE	01291	WAIVED	2007/01/03	.000
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED	2007/01/03	.250
LEAD	01051	WAIVED	2007/01/03	.000
MERCURY	71900	WAIVED	2007/01/03	.000
NICKEL	01067	WAIVED	2007/01/03	.000
PERCHLORATE	A-031	WAIVED		
SELENIUM	01147	WAIVED	2007/01/03	.000
THALLIUM	01059	WAIVED	2007/01/03	.000

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2008/02/26	.000
NITRITE (AS N)	00620	WAIVED	2007/01/03	.000

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED	2007/12/10	4.280
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED	2007/03/26	.359
RADIUM 228	11501	WAIVED	2007/03/26	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-006**

**Source Name: WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED	2007/03/26	1.200

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310009

**System Name:** WINTERHAVEN WD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310009-006

**Source Name:** WELL 03

**Source Number:** 006

**Source Status:** ACTIVE RAW

**Water type:** GROUNDWATER OR WELL

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED	2007/03/26	.000
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED	2007/03/26	.000
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED	2007/03/26	.000
1,1,2-TRICHLOROETHANE	34511	WAIVED	2007/03/26	.000
1,1-DICHLOROETHANE	34496	WAIVED	2007/03/26	.000
1,1-DICHLOROETHYLENE	34501	WAIVED	2007/03/26	.000
1,2,4-TRICHLOROBENZENE	34551	WAIVED	2007/03/26	.000
1,2-DICHLOROBENZENE	34536	WAIVED	2007/03/26	.000
1,2-DICHLOROETHANE	34531	WAIVED	2007/03/26	.000
1,2-DICHLOROPROPANE	34541	WAIVED	2007/03/26	.000
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED	2007/03/26	.000
1,4-DICHLOROBENZENE	34571	WAIVED	2007/03/26	.000
BENZENE	34030	WAIVED	2007/03/26	.000
CARBON TETRACHLORIDE	32102	WAIVED	2007/03/26	.000
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED	2007/03/26	.000
DICHLOROMETHANE	34423	WAIVED	2007/03/26	.000
ETHYLBENZENE	34371	WAIVED	2007/03/26	.000
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED	2007/03/26	.000
MONOCHLOROBENZENE	34301	WAIVED	2007/03/26	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-006**

**Source Name: WELL 03**

**Source Number: 006**

**Source Status: ACTIVE RAW**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

STYRENE	77128	WAIVED	2007/03/26	.000
TETRACHLOROETHYLENE	34475	WAIVED	2007/03/26	.000
TOLUENE	34010	WAIVED	2007/03/26	.000
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED	2007/03/26	.000
TRICHLOROETHYLENE	39180	WAIVED	2007/03/26	.000
TRICHLOROFLUOROMETHANE	34488	WAIVED	2007/03/26	.000
VINYL CHLORIDE	39175	WAIVED	2007/03/26	.000
XYLENES (TOTAL)	81551	WAIVED	2007/03/26	.000

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED		
BICARBONATE ALKALINITY	00440	WAIVED	2007/01/03	350.000
CALCIUM	00916	WAIVED	2007/01/03	160.000
CARBONATE ALKALINITY	00445	WAIVED	2007/01/03	.000
CHLORIDE	00940	WAIVED	2007/01/03	320.000
COLOR	00081	WAIVED	2007/01/03	5.000
COPPER	01042	WAIVED	2007/01/03	.000
FOAMING AGENTS (MBAS)	38260	WAIVED	2007/01/03	.000
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED	2007/01/03	500.000
HYDROXIDE ALKALINITY	71830	WAIVED	2007/01/03	.000
IRON	01045	WAIVED	2007/01/03	250.000
MAGNESIUM	00927	WAIVED	2007/01/03	33.000
MANGANESE	01055	WAIVED	2007/01/03	1300.000
ODOR THRESHOLD @ 60 C	00086	WAIVED	2007/01/03	1.000
PH, LABORATORY	00403	WAIVED	2007/01/03	7.600
SILVER	01077	WAIVED	2007/01/03	.000
SODIUM	00929	WAIVED	2007/01/03	260.000
SPECIFIC CONDUCTANCE	00095	WAIVED	2007/01/03	2100.000
SULFATE	00945	WAIVED	2007/01/03	340.000
TOTAL DISSOLVED SOLIDS	70300	WAIVED	2007/01/03	1300.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

System Number: **1310009**

System Name: **WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

PS Code: **1310009-006**

Source Name: **WELL 03**

Source Number: **006**

Source Status: **ACTIVE RAW**

Water type: **GROUNDWATER OR WELL**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	WAIVED	2007/01/03	.700
ZINC	01092	WAIVED	2007/01/03	.000

PS Code: **1310009-007**

Source Name: **WELL 03 - TREATED**

Source Number: **007**

Source Status: **ACTIVE TREATED**

Water type: **GROUNDWATER OR WELL**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED	2004/12/08	.000
----------	-------	--------	------------	------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-007**

**Source Name: WELL 03 - TREATED**

**Source Number: 007**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED	2006/09/14	.000
NITRITE (AS N)	00620	WAIVED		

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED		
GROSS BETA	03501	WAIVED		
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED		
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED		
RADIUM 226	09501	WAIVED		
RADIUM 228	11501	WAIVED		
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED		
STRONTIUM-90	13501	WAIVED		
TRITIUM	07000	WAIVED		
URANIUM (PCI/L)	28012	WAIVED		

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED		
2,4,5-TP (SILVEX)	39045	WAIVED	2004/12/08	.000
2,4-D	39730	WAIVED	2004/12/08	.000
ALACHLOR	77825	WAIVED	2004/12/08	.000
ATRAZINE	39033	WAIVED	2004/12/08	.000
BENTAZON	38710	WAIVED	2004/12/08	.000
BENZO (A) PYRENE	34247	WAIVED	2004/12/08	.000
CARBOFURAN	81405	WAIVED		
CHLORDANE	39350	WAIVED	2004/12/08	.000
DALAPON	38432	WAIVED	2004/12/08	.000
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED	2004/12/08	.000
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED	2004/12/08	.000
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED	2004/12/08	.000
DINOSEB	81287	WAIVED	2004/12/08	.000
DIQUAT	78885	WAIVED	2004/12/08	.000

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310009

**System Name:** WINTERHAVEN WD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310009-007

**Source Name:** WELL 03 - TREATED

**Source Number:** 007

**Source Status:** ACTIVE TREATED

**Water type:** GROUNDWATER OR WELL

**REGULATED SOC**

ENDOTHALL	38926	WAIVED		
ENDRIN	39390	WAIVED		
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED	2004/12/08	.000
GLYPHOSATE	79743	WAIVED		
HEPTACHLOR	39410	WAIVED	2004/12/08	.000
HEPTACHLOR EPOXIDE	39420	WAIVED	2004/12/08	.000
HEXACHLOROBENZENE	39700	WAIVED	2004/12/08	.000
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED	2004/12/08	.000
LINDANE	39340	WAIVED	2004/12/08	.000
METHOXYCHLOR	39480	WAIVED	2004/12/08	.000
MOLINATE	82199	WAIVED	2004/12/08	.000
OXAMYL	38865	WAIVED	2004/12/08	.000
PENTACHLOROPHENOL	39032	WAIVED	2004/12/08	.000
PICLORAM	39720	WAIVED	2004/12/08	.000
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED	2004/12/08	.000
SIMAZINE	39055	WAIVED	2004/12/08	.000
THIOBENCARB	A-001	WAIVED	2004/12/08	.000
TOXAPHENE	39400	WAIVED	2004/12/08	.000

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310009**

**System Name: WINTERHAVEN WD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310009-007**

**Source Name: WELL 03 - TREATED**

**Source Number: 007**

**Source Status: ACTIVE TREATED**

**Water type: GROUNDWATER OR WELL**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310009

**System Name:** WINTERHAVEN WD

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310009-007

**Source Name:** WELL 03 - TREATED

**Source Number:** 007

**Source Status:** ACTIVE TREATED

**Water type:** GROUNDWATER OR WELL

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-001**

**Source Name: CALEXICO EAST PORT OF ENTRY**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-001**

**Source Name: CALEXICO EAST PORT OF ENTRY**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**RADIOLOGICAL**

RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED
ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number:** 1310018

**System Name:** GATEWAY OF THE AMERICAS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310018-001

**Source Name:** CALEXICO EAST PORT OF ENTRY

**Source Number:** 001

**Source Status:** ACTIVE RAW

**Water type:** SURFACE

**REGULATED SOC**

METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,1,2-TETRACHLOROETHANE	34516	WAIVED
1,1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED
1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-001**

**Source Name: CALEXICO EAST PORT OF ENTRY**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**REGULATED VOC**

STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED
MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-001**

**Source Name: CALEXICO EAST PORT OF ENTRY**

**Source Number: 001**

**Source Status: ACTIVE RAW**

**Water type: SURFACE**

**SECONDARY/GP**

TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

**PS Code: 1310018-002**

**Source Name: CALEXICO EAST PORT OF ENTRY - TREATED**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: SURFACE**

**GENERAL NON CHAP 15**

DIAZINON	39570	WAIVED
----------	-------	--------

**INORGANIC**

ALUMINUM	01105	WAIVED
ANTIMONY	01097	WAIVED
ARSENIC	01002	WAIVED
ASBESTOS	81855	WAIVED
BARIUM	01007	WAIVED
BERYLLIUM	01012	WAIVED
CADMIUM	01027	WAIVED
CHROMIUM (TOTAL)	01034	WAIVED
CYANIDE	01291	WAIVED
FLUORIDE (F) (NATURAL-SOURCE)	00951	WAIVED
LEAD	01051	WAIVED
MERCURY	71900	WAIVED
NICKEL	01067	WAIVED
PERCHLORATE	A-031	WAIVED
SELENIUM	01147	WAIVED
THALLIUM	01059	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-002**

**Source Name: CALEXICO EAST PORT OF ENTRY - TREATED**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: SURFACE**

**NITRATE/NITRITE**

NITRATE (AS NO3)	71850	WAIVED
NITRITE (AS N)	00620	WAIVED

**RADIOLOGICAL**

GROSS ALPHA	01501	WAIVED
GROSS BETA	03501	WAIVED
RA-226 FOR CWS OR TOTAL RA FOR NTNC BY 903.0	A-080	WAIVED
RA-226 OR TOTAL RA BY 903.0 C.E.	A-081	WAIVED
RADIUM 226	09501	WAIVED
RADIUM 228	11501	WAIVED
RADIUM, TOTAL, MDA95-NTNC ONLY, BY 903.0	A-082	WAIVED
STRONTIUM-90	13501	WAIVED
TRITIUM	07000	WAIVED
URANIUM (PCI/L)	28012	WAIVED

**REGULATED SOC**

2,3,7,8-TCDD (DIOXIN)	34676	WAIVED
2,4,5-TP (SILVEX)	39045	WAIVED
2,4-D	39730	WAIVED
ALACHLOR	77825	WAIVED
ATRAZINE	39033	WAIVED
BENTAZON	38710	WAIVED
BENZO (A) PYRENE	34247	WAIVED
CARBOFURAN	81405	WAIVED
CHLORDANE	39350	WAIVED
DALAPON	38432	WAIVED
DI(2-ETHYLHEXYL)ADIPATE	A-026	WAIVED
DI(2-ETHYLHEXYL)PHthalATE	39100	WAIVED
DIBROMOCHLOROPROPANE (DBCP)	38761	WAIVED
DINOSEB	81287	WAIVED
DIQUAT	78885	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-002**

**Source Name: CALEXICO EAST PORT OF ENTRY - TREATED**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: SURFACE**

**REGULATED SOC**

ENDOTHALL	38926	WAIVED
ENDRIN	39390	WAIVED
ETHYLENE DIBROMIDE (EDB)	77651	WAIVED
GLYPHOSATE	79743	WAIVED
HEPTACHLOR	39410	WAIVED
HEPTACHLOR EPOXIDE	39420	WAIVED
HEXACHLOROBENZENE	39700	WAIVED
HEXACHLOROCYCLOPENTADIENE	34386	WAIVED
LINDANE	39340	WAIVED
METHOXYCHLOR	39480	WAIVED
MOLINATE	82199	WAIVED
OXAMYL	38865	WAIVED
PENTACHLOROPHENOL	39032	WAIVED
PICLORAM	39720	WAIVED
POLYCHLORINATED BIPHENYLS, TOTAL, AS DCB	39516	WAIVED
SIMAZINE	39055	WAIVED
THIOBENCARB	A-001	WAIVED
TOXAPHENE	39400	WAIVED

**REGULATED VOC**

1,1,1-TRICHLOROETHANE	34506	WAIVED
1,1,2,2-TETRACHLOROETHANE	34516	WAIVED
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	81611	WAIVED
1,1,2-TRICHLOROETHANE	34511	WAIVED
1,1-DICHLOROETHANE	34496	WAIVED
1,1-DICHLOROETHYLENE	34501	WAIVED
1,2,4-TRICHLOROBENZENE	34551	WAIVED
1,2-DICHLOROBENZENE	34536	WAIVED
1,2-DICHLOROETHANE	34531	WAIVED
1,2-DICHLOROPROPANE	34541	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported

**System Number: 1310018**

**System Name: GATEWAY OF THE AMERICAS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code: 1310018-002**

**Source Name: CALEXICO EAST PORT OF ENTRY - TREATED**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: SURFACE**

**REGULATED VOC**

1,3-DICHLOROPROPENE (TOTAL)	34561	WAIVED
1,4-DICHLOROBENZENE	34571	WAIVED
BENZENE	34030	WAIVED
CARBON TETRACHLORIDE	32102	WAIVED
CIS-1,2-DICHLOROETHYLENE	77093	WAIVED
DICHLOROMETHANE	34423	WAIVED
ETHYLBENZENE	34371	WAIVED
METHYL-TERT-BUTYL-ETHER (MTBE)	46491	WAIVED
MONOCHLOROBENZENE	34301	WAIVED
STYRENE	77128	WAIVED
TETRACHLOROETHYLENE	34475	WAIVED
TOLUENE	34010	WAIVED
TRANS-1,2-DICHLOROETHYLENE	34546	WAIVED
TRICHLOROETHYLENE	39180	WAIVED
TRICHLOROFLUOROMETHANE	34488	WAIVED
VINYL CHLORIDE	39175	WAIVED
XYLENES (TOTAL)	81551	WAIVED

**SECONDARY/GP**

AGGRSSIVE INDEX (CORROSIVITY)	82383	WAIVED
BICARBONATE ALKALINITY	00440	WAIVED
CALCIUM	00916	WAIVED
CARBONATE ALKALINITY	00445	WAIVED
CHLORIDE	00940	WAIVED
COLOR	00081	WAIVED
COPPER	01042	WAIVED
FOAMING AGENTS (MBAS)	38260	WAIVED
HARDNESS (TOTAL) AS CaCO3	00900	WAIVED
HYDROXIDE ALKALINITY	71830	WAIVED
IRON	01045	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported



**System Number:** 1310018

**System Name:** GATEWAY OF THE AMERICAS

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	-------------------------------------------	--------------------------------------------	---------------------------------	-----------------------------------------

**PS Code:** 1310018-002

**Source Name:** CALEXICO EAST PORT OF ENTRY - TREATED

**Source Number:** 002

**Source Status:** ACTIVE TREATED

**Water type:** SURFACE

**SECONDARY/GP**

MAGNESIUM	00927	WAIVED
MANGANESE	01055	WAIVED
ODOR THRESHOLD @ 60 C	00086	WAIVED
PH, LABORATORY	00403	WAIVED
SILVER	01077	WAIVED
SODIUM	00929	WAIVED
SPECIFIC CONDUCTANCE	00095	WAIVED
SULFATE	00945	WAIVED
TOTAL DISSOLVED SOLIDS	70300	WAIVED
TURBIDITY, LABORATORY	82079	WAIVED
ZINC	01092	WAIVED

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

999 = Waived testing (not required)

I = Invalid (NOT) valid analyses reported